

September 21, 2016

Amanda Flores-Del Toro Webb Cnty Purchasing Dept 1110 Washington St Ste 101 Laredo, TX 78040-4466

Dear Amanda:

We are pleased to submit the attached Toyota Internal Combustion Lift Truck quotation for your review and approval.

As an authorized Toyota dealer, Toyota Lift of South Texas can provide the high-quality equipment and service you would expect from the world's leading forklift manufacturer. This quotation reflects our understanding of your forklift needs, combined with a careful configuration of the appropriate equipment and options.

To place your order, please sign and date the quotation where indicated and return to me. If you have any questions, please contact me.

Thank you for your interest in our company and our Toyota products. We look forward to being of valuable service to you for your material handling needs.

Sincerely,

Juan Guzman Sales Representative Phone: 210-351-9500

Fax: 210-351-9561

E-mail: Juan.Guzman@doggett.com

encl



Toyota Lift of South Texas

7505 Mines Rd Laredo, TX 78045-8762

Phone: 956-722-0988 Fax: 956-722-8642

6

To: Webb Cnty Purchasing Dept

1110 Washington ste. 101

Laredo, TX 78041

Attn: Amanda Flores-Del Toro

Date:

September 21, 2016

Our Ref:

40598616

Phone:956-523-4144 Ext.4125

Fax:

956-523-5010

We respectfully submit this quotation for the following NEW Toyota Internal Combustion Lift Truck (1 each):

TOYOTA MODEL 8FGU25, Internal Combustion Lift Truck, quality engineered with the following specification:

- Pneumatic Tires
- LP Gas Powered UL Type "LP" Rating

This forklift is equipped with a 3-Way Catalytic Muffler System as standard equipment, and conforms to current Federal EPA and California ARB regulations for off-road large spark ignited engines.

SYSTEM OF ACTIVE STABILITYTM (SAS)

Toyota's industry exclusive System of Active Stability (SAS) helps reduce lift truck instability by electronically monitoring and controlling various functions of the lift truck.

• Active Control Rear Stabilizer: Various lift truck sensors simultaneously monitor vehicle speed, fork height, load weight, and vehicle yaw (or angular acceleration). Should the operator inadvertently place the truck in a potentially unstable lateral condition, the sensors trigger the SAS controller to activate the Active Control Rear Stabilizer to help reduce the likelihood of a lateral tip over. (Note: Does not apply to dual drive configured models)



Photo may portray optional equipment not included in your auotation.

• Active Mast Function Controller (AMC): Should the operator inadvertently place the lift truck in a potentially unstable longitudinal condition, these same sensors trigger the SAS controller to activate the AMC, which limits forward tilt and/or tilt back speed to help reduce the likelihood of a longitudinal tip over.

AUTOMATIC FORK LEVELING

Toyota's Automatic Fork Leveling feature increases productivity while reducing damage with a push of a button. By depressing the Automatic Fork Leveling button during forward tilt, operators are quickly and easily able to level the forks.

TOYOTA ENGINE

Engineered to the highest standards of quality, durability, and reliability, your Toyota 8-Series lift truck is outfitted with the industry's most respected industrial engines.

ULTRA COMFORT 4-WAY ADJUSTABLE, FULL SUSPENSION SEAT WITH NON CINCHING SEAT BELT

Operator comfort is taken to a new level with Toyota's Ultra Comfort 4-way adjustable, full suspension vinyl seat. With lumbar, weight, tilt, and almost 6 inches of fore/aft adjustability, your operators will be comfortable and productive throughout their shift. Standard Non-cinching seat belts provide additional comfort in applications requiring frequent reverse travel.

Mast

3-Stage (FSV) mast with full free lift provides excellent visibility to load and fork tips, while providing smooth, quiet and consistent operation. Mast specifications:

Maximum Fork Height - 189"

Overall Lowered Height - 84.5" (Overhead Guard Height - 83.10")

Free Lift - 36.4" with standard Load Backrest

Lifting Capacity Base Model Capacity - 5,000 lbs. @ 24" load center

Actual Capacity, based on quoted specifications, - 4,500 lbs. @24" load center to 189" MFH

Actual capacity ratings stated above are based on standard features, options, and attachments available through Toyota at the time of quoting. Non-standard features, options, and attachments may affect actual capacity ratings. Please contact your Toyota sales representative for additional information.

Tilt

6 degrees forward and 6 degrees backwards

Carriage

ITA Hook Type, 40" Carriage

Forks

Forks 48" x 5" x 1.6" - Class II

Load Backrest

48" High Load Backrest

Attachments

Cascade 40" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)

Speeds

Travel Speed: 11.20 mph Lift Speed: 118 fpm Septem 1

Engine

Toyota 2.2L 4Y-ECS Industrial Gasoline Engine

136 cubic inch displacement, 4 cylinder, overhead valve (OHV) Net Torque Rating: 118 @ 2100 rpm SAE ft-lb (gasoline system)

Net Horsepower Rating: 51 @ 2570 rpm SAE HP

Transmission

Automatic Transmission

1 speed forward, 1 speed reverse standard.

Steering

Load Sensing Hydrostatic Power Steering with Tilt Steering Column

Wheels and

Front Tires:

7.00-12-12PR (Pneumatic)

Tires

Rear Tires:

6.00-9-10PR (Pneumatic)

- 3 -

Additional Equipment Strobe Light - Yellow Rear Combination Lights

LPG Bracket (Swing Down Type)
Rear View Mirrors (Left & Right Sides)

Back-up Alarm

Rear Assist Grip with Horn Button

Pencil / Tape Holder (Mounted on Overhead Guard Leg)

Fire Extinguisher
33 lb. LP Steel Tank

Solid Pneumatic Tires - Front

Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels

UL Approved Model Type "LP" (tank not included)

Warranty

12 Months or 2,000 hours whichever occurs first: Basic 36 Months or 6,000 hours whichever occurs first: Powertrain

Warranty coverage for non-standard option components will be covered by the manufacturer of that component and not covered under the Toyota forklift standard or powertrain warranty.

We offer a Toyota factory authorized warranty on all new Toyota Industrial Equipment.

Investment

Price-Toyota Model 8FGU25 as specified above:

\$29,114 E

Each

Net Price:

Plus applicable taxes

in the

113**4**

\$29,114 Each

Financing and Maintenance

A broad range of competitive and flexible financing options are available through Toyota. Financing requires credit approval. Terms and conditions are subject to change.

In addition, Full Maintenance and Planned Maintenance programs are available.

Insurance coverage is required for the following lease option(s)

Terms	and
Condit	ions

Payment: Cash or Financed on delivery.

Delivery: Will advise estimated delivery date at time of order placement. All delivery information offered by TLOTX is approximate based on suppliers lead time estimates. TLOTX cannot guarantee delivery date.

This proposal is valid for 30 days from date of proposal.

F.O.B.: Delivered

Prices are exclusive of any sales or use taxes now in force or which may be made effective in the future by any federal, state, or local governments.

Lease offerings subject to credit approval.

This proposal is valid for 30 days from date of proposal

Performance and specifications stated are based on specific testing and operating conditions. Actual performance and specifications may vary based on application, option configuration,

operating conditions, and environmental factors. Some options and configurations may void UL.

Conditions subject to change to those in effect at time of delivery.

Your signature on this proposal constitutes a firm order.

In the event of cancellation, fees will apply to cover restocking charges.

Servicing Dealer Toyota Lift of South Texas

7505 Mines Rd, Laredo, TX 78045-8762 Phone: 956-722-0988

Sincerely, Toyota Lift of South Texas	Accepted: Webb Cnty Purchasing Dept	
	Cash Price \$ Financed Payment \$ Per MonthMon	nth
By:	By:	
Name: Juan Guzman	Name:	
Title: Sales Representative	Title:	
	Date:	

Sun Control Systems 2408 Jacaman Rd. Suite D Laredo, Texas 78041

Name/Address

Webb County Road & Bridge

7210 E. Saunders Laredo,TX 78041

Mr. Eduardo Ibarra

Date	Estimate No.	Project
09/13/16	599	

Item	Description	Quantity	Cost	Total
Mast	Mast: Automatic 3-Stage (FSV) with full free lift Toyota Model 8FGU25 Tires: Pneumatic Combustion: LP Gas Powered UL Type "LP" Rating Maximum Fork Height: 189" Forks: 48" X 5" X1.6-Class II Attachment: Cascade 40" Hang-on Side-shifter (Includes 3rd Function Internal Hosing) Lifting Capacity: Base Model Capacity-5,000 lbs. @ 24" load center Speed: Travel Speed 11.20 mph Lift Speed: 118 fpm		35,914.00	35;914.00
Miscellaneous	Prep and Delivery Fees Sales Tax		795.00 8.25%	795.00 0.00
			Total	\$36,709.00





Investment Proposal

Thank you for allowing Briggs Equipment to submit the following proposal.

Quote To: Ms. ROSIE MONCIVAIS

Customer: COUNTY OF WEBB

1110 WASHINGTION ST

Laredo, TX -78043 956-523-4125

Quote No: 83-48666083

Series:

D875


Model:

GP050VX 1

Quantity: Date:

21 Sep 2016 Expires:

21 Oct 2016



Highlights

Yale Veracitor Pneumatic Tire Forklift Model GP050VX: Nominal 5000 lb capacity at 24" load center. Veracitor trucks feature Industrial Grade Critical Components that maximize productive value and economic life of the lift truck. Rugged powertrains and cooling systems are designed specifically for tough lift truck applications. Highly reliable electrical systems provide sophisticated control of truck functionality leading to outstanding efficiency. Robust hydraulic systems and heavy duty masts provide excellent load moving capability. Truck frames provide optimal strength and rigidity, including maximum protection to internal components. Standard Equipment includes: Continuous Stability Enhancement System, Integrated Dashboard Display, Operator Restraint System, Operator Presence System (OPS), Low Fuel Indicator, Infinitely Adjustable Steering Column and Floor mat.

POWERTRAIN: PSI 2.4L LPG EPA Emissions Certified Engine with Electronic Fuel Injection. Provides outstanding fuel economy and performance in a heavy-duty industrial grade design. Features three (3) individual performance modes to optimize productivity and fuel economy. Powershift 1-speed Transmission features Electronic Inching improving operating costs by eliminating inching adjustments, and Industrial Grade clutch packs, gears, shafts and drive train components for exceptional durability. Self Energizing Drum brakes provide excellent stopping power with minimal brake pedal effort. MAST: 3 Stage Full Free Lift. 189" Max Fork Ht / 84" Lowered / 60" Free Lift / 237" Ext Ht. (4800mm / 2120mm / 1540mm / 6020mm).

CARRIAGE: 42" (1070mm) Class II Hook Integral Sideshifter

FORKS: 48" Long Class II Hook Type (1.6"x3.9") Standard Taper, 1220mm Long, (40mm x 100mm).

LOAD BACKREST EXTENSION: 48" High x 42" Wide MAST TILT: 6 Degrees Forward / 6 Degrees Back

HYDRAULIC CONTROLS: 3 FUNCTION Cowl Mounted Levers

HYDRAULIC CONTROL: Arranged to support Non-Clamping Attachments

PRODUCTIVITY - WITHOUT RTS

HOSE GROUP: 1 Aux Function - Internal Mounted LPG TANK BRACKET: Swing Out LPG Tank Bracket

> 117:30 NOTE:

FUEL SENSOR: Pressure Based LPG Fuel Sensor. Provides notice of a low LPG fuel level with a visual 7.6 iii luch+

UL APPROVAL: TYPE LP, GAS OR DIESEL

RADIATOR: Anti-clog. Provides enhanced cooling capacity with a clog resistant core design

EXHAUST: Counterweight Rear Exhaust

TREAD WIDTH: Narrow Tread

DRIVE TIRES: Drive Tires - Pneumatic-Shaped Solid (PSS) 7.00 x 12

STEER TIRES: Pneumatic Shaped Solid (PSS) 6.00 x 9

OVERHEAD GUARD: Tall

STEERING WHEEL: Steering Wheel with Wheel Spinner Knob

ENGINE START: Key switch Start

DIRECTIONAL CONTROL: Directional Lever mounted on the left side of the steering column.

SEAT: Non Suspension Vinyl, includes Operator Restraint with No-Cinch Seatbelt

SEAT ACCESSORY: Black Seat Belt with No-Cinch ELR (Emergency Locking Retractor) mechanism. Seat belt locks only when necessary. Allows seat belt to move with operator and improves operator comfort, especially when driving in reverse.

INCHING CONTROL: Single Inch/Brake Pedal

AIR INTAKE: High Air Intake

AUDIBLE ALARM: Reverse direction activated. Self-adjusting between 82-102 dB(A).

VISIBLE ALARM: Amber LED Strobe Light, keyswitch activated, OHG Mounted - does not increase truck

height (Low Mount).

LIGHTS: Dual Front Headlights/Single Rear Work Light

MONITORING SYSTEM: System Monitoring provides superb control over truck functionality and systems enabling maximum system efficiency for excellent durability and serviceability.

HOOD: Non-Vented Hood

ACCESSORIES: Fire Extinguisher - 2.5 lb. Dry Chemical

ACCESSORIES: Rear Drive Handle with Horn Button. Mounted on right rear OHG leg. Improves driver

comfort in reverse travel.

LITERATURE: (Decals, Marking and Operator Manual): English ACCESSORIES: Mirrors - Dual Sideview (LH & RH OHG mounted)

Investment Proposal Price Information

Total Selling Price

Terms: Net-10 Days

F.O.B.: Delivered

Extended \$27,102.60

Lease Information

This unit is available on a Full Payout Lease for 36 months at \$805.61 per month plus tax and based on payment in Arrears. Lease is subject to credit approval.

This unit is available on a Full Payout Lease for 48 months at \$617.42 per month plus tax and based on payment in Arrears. Lease is subject to credit approval.

This unit is available on a Full Payout Lease for 60 months at \$504.66 per month plus tax and based on payment in Arrears. Lease is subject to credit approval.

Warranty

WARRANTY: 12 Months/2,000 Hours Manufacturer's Warranty 36 Months/6,000 Hours Manufacturer's Powertrain Warranty

Terms and Conditions

ACCEPTANCE

ALL QUOTATIONS ARE SUBJECT TO PROMPT ACCEPTANCE AND TRANSMITTAL OF ORDER. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE UNLESS OTHERWISE STATED. CONTRACTS AND AGREEMENTS ARE NOT VALID UNLESS APPROVED AND ACCEPTED IN WRITING IN THE EXECUTIVE OFFICE IN DALLAS, TEXAS OR IN A BRANCH OFFICE LOCATED WITHIN THE STATE OF TEXAS. HOWEVER, ALL CONTRACTS SHALL BE DEEMED TO HAVE BEEN EXECUTED IN DALLAS COUNTY, TEXAS

DELAYS

DELIVERIES UNDER ALL CONTRACTS AND AGREEMENTS ARE CONTINGENT UPON ACTS OF PROVIDENCE, STRIKES, ACCIDENTS, GOVERNMENTAL PRIORITY REGULATIONS AND OTHER CAUSES OF DELAY BEYOND THE SELLER'S CONTROL, AND IN NO EVENT WILL THE SELLER BE LIABLE FOR CONSEQUENTIAL DELAYS OR LOSSES.

CANCELLATIONS

ORDERS CANNOT BE SCHEDULED, CANCELLED, SPECIFICATIONS CHANGED OR GOODS RETURNED WITHOUT SELLER'S PRIOR PERMISSION, ACCEPTANCE IS CONDITIONAL UPON REIMBURSEMENT FOR CONSEQUENTIAL LOSS TO THE SELLER AND APPLICABLE RESTOCKING FEES. SPECIAL OR CUSTOM ORDERS CANNOT BE CANCELLED.

DELIVERIES

PROMISES OF DELIVERY ARE GIVEN AS ACCURATELY AS CONDITIONS WILL PERMIT, BUT DUE TO SHIPPING AND MANUFACTURING CONTINGENCIES, SELLER CANNOT GUARANTEE TO ACCOMPLISH SHIPMENTS ON DATE OR DATES MENTIONED. NOTWITHSTANDING THE FOREGOING, PURCHASER MUST TAKE DELIVERY OF GOODS WITHIN 30 DAYS OF THE LATER OF (A) THE PROMSIED DELIVERY DATE; OR (B) SELLER'S NOTICE TO PURCHASER THAT THE GOODS ARE AVAILABLE FOR DELIVERY. IF PURCHASER THEREAFTER FAILS TO TAKE DEILERY, PURCHASER WILL BE INVOICED FOR THE GOODS AND APPLICABLE STORAGE CHARGES FOR UP TO 90 DAYS, AFTER WHICH SELLER MAY DEEM THE GOODS ABANDONED OR EXERCISE ANY OTHER RIGHT OR REMEDY AVAILABLE TO IT UNDER LAW.

WARRANTIES

THE SELLERS LIABILITY IS LIMITED TO MAKING GOOD DEFECTS IN WORKMANSHIP OR MATERIAL UNDER THE MANUFACTURER'S WARRANTY AND SHALL NOT EXCEED THE PURCHASE PRICE OF THE DEFECTIVE ITEM. THE SELLER IN NO EVENT SHALL BE LIABLE FOR DAMAGES TO PERSONS OR PROPERTY ARISING OUT OF THE USE OF ITEMS SOLD. THIS WARRANTY SUPERSEDES ALL PRIOR ASSURANCES, WRITTEN OR ORAL MADE BY THE SELLER, ITS AGENTS OR REPRESENTATIVES.

PERFORMANCES

INFORMATION PROVIDED CONCERNING PERFORMANCE OF EQUIPMENT LISTED HEREON ARE ENGINEERING STIMATES ONLY AND NO GUARANTEE TO MEET SUCH SPECIFICATIONS IS TO BE IMPLIED.

CONFIDENTIAL INFORMATION

THIS PROPOSAL AS WELL AS ALL INFORMATION THEREIN, INCLUDING PRINTS, BROCHURES, ETC., ARE CONFIDENTIAL AND INTENDED ONLY FOR THE PURCHASER'S USE AND ARE NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE SELLER.

TERMS OF SALE UNLESS OTHERWISE SPECIFICALLY STATED, TERMS ARE NET. 10 DAYS FROM THE DATE OF INVOICE. F.O.B. SHIPPING POINT, SALES OR USE TAXES, ANY TYPE OF PROPERTY TAX OR ANY MANUFACTURER'S OR OTHER EXCISE TAX LEVIED BY FEDERAL, STATE OR MUNICIPAL GOVERNMENT OR ANY SUB-DIVISION THEREOF, ARE THE LIABILITY OF THE PURCHASER AND IF PAID BY THE SELLER ARE RECHARGEABLE TO THE PURCHASER. ALL SALES SUBJECT TO THE APPROVAL OF OUR CREDIT DEPARTMENT. THIS AND ALL SUBSEQUENT PURCHASES ARE PAYABLE IN DALLAS, DALLAS COUNTY, TEXAS. THE SELLER RESERVES THE RIGHT TO CANCEL THIS CONTRACT UPON (1) BREACH OF CONTRACT BY THE PURCHASER (2) FAILURE BY PURCHASER TO MAKE PAYMENTS AS REQUIRED AND (3) UPON INSOLVENCY OR BANKRUPTCY OF THE PURCHASE THE SELLER MAY REQUIRE ADVANCE PAYMENT FOR SECURITY OR MAY CANCEL AN ORDER IF THE SELLER, IN GOOD FAITH, DOUBTS THE PURCHASER'S ABILITY TO PAY GENERAL

NO TERMS CONTAINED IN THE PURCHASER'S PURCHASE ORDER, SHIPPING REQUEST, OR OTHER COMMUNICATIONS SHALL VARY. THE TERMS OF THE AGREEMENT, EXPRESSED HEREIN, WHETHER OR NOT SHIPMENT OF THE GOODS FOLLOWED RECEIPT OF SUCH PURCHASE ORDER OF OTHER COMMUNICATION

Proposal By : Ma	uro Jimenez	Accepted By: ROSIE	MONCIVAIS
			10 mg/m (- 10 d)
Sales - Yale	Date	Date	
		Briggs-Equipment Accepts	ance Date

Secur-It

5810 McPherson Rd. Laredo,TX 78041 PH:956.727.2232

September 13, 2016

Webb County Road & Bridge Attn: Eduardo E. Ibarra 7210 E. Saunders Laredo, TX 78041 PH: (956) 523-53-13

FX: (956) 721-2539

E-mail: eibarra@webbcountytx.gov

Reference: Toyota Medel 8FGU25

Equipment:

- Strobe Light-Yellow
- LPG Bracket
- Rear View Mirrors (Left/Right Sides)
- Back-up Alarm
- Fire Extinguisher
- 33 Lb. LP Steel Tank
- Rear Solid Pneumatic Tires
- UL Approved Model Type "LP" (Tank not included)
- Maximum Fork Height: 189"
- Speed: Travel:Speed 11.20
 - Lift Capacity: 5,000 Lbs.

Total estimate cost is \$39,506.45

Respectfully yours,

Jerry Morales President

Approve by:	afort -	Date:	
1	- SIVENSES		_

From:

Eduardo E. Ibarra

Sent:

Tuesday, September 20, 2016 9:37 AM

То:

Jose E. Gonzalez

Subject:

FW: Lift Estimate

Attachments:

Webb County Estimate.pdf

Follow Up Flag: Flag Status:

Follow up Flagged

Categories:

Red Category

From: Rail Plus LLC Javier Rodriguez [mailto:railplusllc@yahoo.com]

Line.

Sent: Tuesday, September 13, 2016 2:52 PM

To: Eduardo E. Ibarra Subject: Lift Estimate

Good afternoon, Mr. Ibarra

Enclosed you will find a copy of the revised estimate you requested for lift. Thank you and have a wonderful day.

Respectfully yours,

Jerry Morales

Secur-It

5810 McPherson Rd.

Laredo, TX 78041



Retail Purchase Order

RDO Equipment Co. 102 Wilcox Road Laredo TX, 78043

Phone: (956) 718-1909 - Fax: (956) 718-2064

Bill To: WEBB COUNTY ROAD & BRIDGE 1110 WASHINGTON ST STE 101 LAREDO, TX, 780404466 WEBB () (956) 523-5300 Purchase Order Date:
 Purchase Order #:
 Purchaser Account #:
 Customer Purchase Order #:
 Customer Sales Tax Exempt #:
 Customer Purchaser Type:

Location of First Working Use:

Customer Market Use:

Sales Professional:

Dealer Account Number:

tbd Exempt Governmental - County Road Building - Highways & Sts. Const. LAREDO, TX, 78042 , 479 177421 Norma Garza (956) 718-1909

Phone: Fax: Email:

(956) 718-2064 ngarza@rdoequipment.com

9/20/2016

850313

2585009

Quantity	Serial	Hours (approx.)	Status / Year / Make / Model Additional Items	Cash Price
1	Number TBD	(арргох.)	New 2016 HARLO PRODUCTS HP5000	\$65,897.10

Purchase Order Totals

Balance: \$65,897.10
Tax Rate 1: (TERP TAX 1.5%) \$988.46
Tax Rate 3: (TXEG 0%) \$0.00

Sales Tax Total: \$988.46
Sub Total: \$66,885.56
Cash with Order: \$0.00
Balance Due: \$66,885.56

Legal Information

For the AG Equipment

Purchase Agreement - I (We), the undersigned, hereby order from you the Equipment described above, to be delivered as shown above. This order is subject to your ability to obtain such Equipment from the manufacturer and you shall be under no liability if delivery of the Equipment is delayed or prevented due to labor disturbances, transportation difficulties, or for any reason beyond your control. The price shown above is subject to your receipt of the Equipment prior to any change in price by the manufacturer. It is also subject to any new or increased taxes imposed upon the sale of the Equipment after the date of this order.

For Deals with Trades - I (We) offer to sell, transfer, and convey the following item(s) at or prior to the time of delivery of the above Equipment, as a "trade-in" to be applied against the cash price. Such item(s) shall be free and clear of all security agreements, liens, and encumbrances at the time of transfer to you. The following is a description and the price to be allowed for each item.

Warranty-IMPORTANT WARRANTY NOTICE: The John Deere warranty applicable to new John Deere Equipment is printed and included with this document. The new equipment warranty is part of this contract. Please read it carefully. YOUR RIGHTS AND REMEDIES PERTAINING TO THIS PURCHASE ARE LIMITED AS SET FORTH IN THE WARRANTY AND THIS CONTRACT. IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS ARE NOT MADE AND ARE EXCLUDED UNLESS SPECIFICALLY PROVIDED IN THE JOHN DEERE WARRANTY.

ACKNOWLEDGEMENTS - I (We) promise to pay the balance due shown above in cash, or to execute a Time Sale Agreement (Retail Installment Contract), or a Loan Agreement, for the purchase price of the Equipment, plus additional charges shown thereon or execute a Lease Agreement, on or before delivery of the Equipment ordered herein. Despite physical delivery of the Equipment, title shall remain in the seller until one of the foregoing is accomplished. I (We) hereby grant a security interest to RDO Equipment Co in the Equipment.

SIC Information - Please be advised that RDO has assigned its rights to sell agriculture rental equipment (as defined under SIC code #3523 and as described in this document) and the rights to sales proceeds (including "trade-in assets" related thereto) to North Star Deferred Exchange LLC, as part of IRC Sec. 1031 exchange.

Disclosure of Regulation Applicability – (CARB Disclaimer) 'California Only: When operated in California, any off-road diesel vehicle may be subject to the California Air Resources Board In-Use Off-Road Diesel Vehicle Regulation. It therefore could be subject to retrofit or accelerated tumover requirements to reduce emissions of air pollutants' CA Air Resource Board Regulation 2449(d)(3) As of June 15th, 2008 idling rental equipment must be limited to 5 minutes.

NOTICE: Use of John Deere Services, if applicable, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not use the Services. ± NOTICE: Equipment may be equipped with telematics hardware and software ("Telematics") that transmit data to John Deere. Purchaser may deactivate Telematics by contacting the JDLink Global Support group at 1-800-251-9928 or via email at jdlinksupport@johndeere.com.

Upon signature of delivery acknowledgment, customer is accepting the equipment, including attachments, in "AS IS" condition, agreeing to notify RDO Equipment Co. within 24 hours of any damages or discrepancies found upon receipt of equipment.

ur r v) oner

Wall!

ignature Area urchase Order Accepted By:	
1	
(Customer's Signature)	(Date Accepted)
1	
(Authorized Signature of Dealer)	(Date Accepted)
ivery of Equipment Acknowledgement:	
×*	
(Customer's Signature)	(Delivered with Operator's Manual on)

Qty	Serial No	umber	Year / Make / Model	Description
	TBD	o o to t tode ves	2016 HARLO PRODUCTS HP5000	10050 HP5000 FORKLIFT, 2WD, JOHN DEERE T4 97762-48 12' 5000# EZC ROLLER ITA MAST (48" NOTCH TYPE CARR 98221-48 FORKS 48" ITA NOTCH TYPE CARRIAGE 100309 STEER AXLE ZERT 98047 ENGINE AIR PRE CLEANER 100221 FIRE EXT.

From:

Eduardo E. Ibarra

Sent:

Tuesday, September 20, 2016 10:23 AM

To:

Jose E. Gonzalez

Subject:

FW: Emailing - Retail Purchase Order_636099632923236929.pdf

Attachments:

Retail Purchase Order_636099632923236929.pdf

From: Garza, Norma A [mailto:ngarza@rdoequipment.com]

Sent: Tuesday, September 20, 2016 10:20 AM

To: Eduardo E. Ibarra Cc: Garza, Norma A

Subject: Emailing - Retail Purchase Order_636099632923236929.pdf

Hello Mr. Ibarra,

Attached is revised P.O. on 2016 Harlo Products 5000 forklift.

Kindly review and advise P.O. # if approved so I can place the order.... Shipping takes 4-6 weeks.

Please call me if you should have any questions.

Thank you and have a lovely day! Norma Garza (956) 744-3290

s a de como d'el

TEXAS LOCAL GOVERNMENT PURCHASING COOPERATIVE BUYBOARD

Vendor RUSH TRUCK CI	ENTER		Date Prepared	(10/3/2016
Contact for Vendor: COLTON KRUSH		Phon	e (830) 302-5219			
End User: Webb County						
End User Contact: Rosie Monvais		Phon	e/Fax (956)	721-2585		
Product Description: 2017 Peterbilt 348	Dump					
Toduct Description. 2017 Teterbat 515						
A: Base Price in Bid/Proposal Number:	430-13	Serie	s:	348	\$7	1,360.00
B: Published Options(Itemize Below)						0 1 1 1 T
DESCRIPTION	AMOUNT	OPT#				TAUC
Peterbilt 10 3/4" Steel Rails	\$ 1,008.0		oilt Fuller FRO142100		\$	1,540.00
Peterbilt Dana Spicer D2000F/20,000 lb. Taper Leaf Springs	\$ 2,803.0		D50 Rush Care Packa	9-	\$	1,236.00
Peterbilt TRW THP60 Dual	\$ 1,079.0	0 RTC-00	Dump Body Pre		\$	3,393.00
Peterbilt Dana Spicer DSH40 40,000 lb	\$ 8,409.0		003 13' Dump Bed		_	17,538.00
Peterbilt Peterbilt Air Trac Suspension 40,000			159 Lot Insurance		\$	1,541.00
Peterbilt Paccar PX-9 345@1900	\$ 4,229.0	0 RTC-1	Dealership Floor	ing	\$	1,512.00
Subtotal Column 1: \$ 19,657.00		Subt	otal Column 2: \$	26,760.00		
Published Options added to Base Price	(Subtotal of "	Col 1" & "	Col 2")		\$	46,417.00
ublished Options added to					ν	
C: Subtotal of A + B				_	\$.	117,777.00
D: Non Published Options						
Truckers 12-14 yd Dump with Electric Tarp & Option	s -\$2,674.0	00				
						,
4.						
Subtotal Column 1: -\$2,674.0	0	Subt	otal Column 2: \$			
7:	: /O::htatal	"Cal 1 + C	201 2")		-	-\$2,674.00
Unpublished Options added to Base pr	ice (Subtotal	C01 1 + C	012)			
	volain here)					
10.7	,xpiaii iioio j					
1 1 1000 35355						
F: Total of C + D +/- E					\$ 1	15,103.00
	_				d) (200 000 00
G: Quantity orderec Units:	2.00	xF			\$ 2	230,206.00
					d	100.00
H: BUYBOARD Administrative Fee			%	+ 11	\$	400.00
I: Non-Equipment Charges & Credits ((I.e.: Ext. War	ranty, Tra	de-In, Delivery, etc.)			
- Int				1		4
W. Carlotte					\$	
						3230,606.00




Peterbilt Model 348











Call For Pricing

2015 Peterbilt 348 PACCAR PX-9 330HP / 1000TQ Allison 3000 RDS-P 6 Speed Stock # 386347

CONTACT INFO:

CINDY MARTINEZ, NEW TRUCK SALES REP Call: 956-237-6229 Toll Free: 800-954-6717 Local: 903-838-5750 Fax: 903-838-8754

LOCATION:

Rush Truck Center - Texarkana 1931 N. Kings Hwy Nash, TX 75569

HOURS:

Monday-Friday: 7:00 am-6:00 pm Saturday: 8:00 am-2:00 pm

General

Unit Type New Medium Duty
Make Peterbilt
Model 348
Year 2015
Body Type 12 - 14 Yard Dump Body
Body MFG Ledwell
GVWR 60000
Stock Number 386347

Day Cab

Type Day Cab BBC 108 Suspension Fixed Interior Color Gray/Black

Exterior

Exterior Color WHITE

Engine

Engine MFG PACCAR
Engine Model PX-9
Horse Power 330hp
Torque 1000 lb-ft
Exhaust Single Vertical
Air Cleaner MFG Donaldson

Chassis

Wheel Base 256 inches

Tires and Wheels

Front Wheel Steel Front Tire MFG Bridgestone Front Tire Ply 20 Ply Front Tire Size 22.5 inches Rear Wheel Steel Rear Tire MFG Bridgestone Rear Tire Ply 14 Ply Rear Tire Size 22.5 inches

Axle

Front Axle MFG Eaton-Dana-Spicer
Front Axle Model D2000F
Front Axle Power Steering True
Front Axle Suspension TaperLeaf
Front Axle Suspension Weight 20,000 lbs
Front Axle Weight 20,000 lbs
Rear Axle MFG Eaton-Dana-Spicer
Rear Axle Model DSP41
Rear Axle Ratio 5.29
Rear Axle Suspension Air Trac
Rear Axle Weight 40,000 lbs

Transmission

Manufacturer Allison Model 3000 RDS-P Speed 6 Speed Torque 1100 lb-ft

Fuel Tanks

Tank #1 Type Aluminum Tank #1 Capacity 90 gallons Tank #1 Size 26 in.

Frame

Color Black Rails 10 3/4 Steel

Texas Pride Trailers

1241 Interstate 45 North Madisonville, TX 77864

Estimate

Date	Estimate #
9/21/2016	1548

Name / Address		
WEBB COUNTY Amanda Flores -Del Toro	- \$	

					Project
	· · ·				
	Descri	ption	Qty	Cost	Total
8x30+5, 20k, Goos MONSTER RAMF Cross Members Pie Electric / Hydraulio	se Neck, Deck OPS erced Through T	ver he Frame LOW PROFILE	(1)	8,595.00 300.00 500.00 1,500.00	8,595.00 300.00 500.00 + 1,500.00 /O , 895
7x20, 14k, Tube To 6FT 6IN SLIDE IN	op, Bumper Pull N RAMPS	Equipment Hauler	2	3,995.00	7,990.00
2 02 de 20 0 2 3 2 02 0	Lo. L.L. Pout.	COS			
		•			
5 7 H 24 B	The sector	- la super-			
	1.31. 1.004.			Total	\$18,885.00

Customer Signature	



2456 TRUCK BYPASS - LEWISTOWN, MT (406) 538-8709





Go Back

HOME ALL INVENTORY **MANUFACTURERS** PARTS **DESIGN A TRAILER AUCTIONS** FINANCING CONTACTUS SHOWROOM

2016 PJ Trailers 30' Low-Pro Flatdeck with Duals Trailer

REQUEST MORE INFO

Home / All Inventory / 2016 PJ Trailers 30' Low-Pro Flatdeck with Duals Trailer

APPLY FOR FINANCING

PRINT UNIT INFO

* This photo may not depict standard options.

Details

ld: Low-Pro Flatdeck with Duals

r: GN 2 5/16" Round (25,000 lb.) w/ Toolbox

a2bs: 2 - 10,000# Axles (Dexter) Electric / Spring

- w: 5' Dovetail w/ 2 Flip-over Monster Ramps
- 0: Primer + Black Powder Coat (Texas Only)
- 0: Cold Weather Wiring Harness (7-Way RV)
- 7: Douglas Fir Lumber
- m: 6" Axle Spread (Longer Equalizer)

ltem	Loca	tioı

Bass Auction Co

2456 Truck Byp Lewistown, MT, 59457

(406) 538-8709

Stock No: 30' Low-Pro Flatdeck with

Duals1251999

Our Price: \$11,399.00

VIN:

4P5LD3029G1251999

Condition:

New

2016

Manufacturer:

PJ Trailers

Model:

30' Low-Pro Flatdeck with

Duals

Length:

GVWR:

25000 lbs

Axle Capacity:

10000 lbs

Axles

2

Pull Type

Gooseneck

Yes

Color

Black

Request More Info

2016 PJ Trailers 30' Low-Pro Flatdeck with **Duals Trailer**

Please enter your contact information and one of our repres

First N

Last N

Prefer

Email

Zip Co

Phone

Comm

entatives will ge	et back to you with more information.
lame *	
lame *	
red Contact*	Phone ▼
Address*	
de	
Number	
nents	
	//

WORLDWIDE AUTOMATION INC 920 SANTA MARIA AVE.

~REDO, TX 78040

Voice: (956) 727-0441 Fax: (956) 723-6258

QUOTATION

Quote Number: 091316-05 Sep 13, 2016 Quote Date:

Page:

(G) one election
WEBB COUNTY

(ACCOUNTS PAYABLE) 1110 WASHINGTON ST. - STE 201 LAREDO, TX 78040

_				- Cales Gop
	companies de la companie de la comp		× (00 D)	
	webbcounty	10/13/16	Net 30 Days	

	De stantier.		(8)(9)(1)
1.00 1213655	30' LOW PRO FLATDECK W/DUALS 2 AXLES ELECTRIC DISK W/5' DOVETAIL W/2 FLIP-OVER MONSTER RAMPS W/ TOOLBOX 10K TANDEM AXEL. 25K GVWR (not in stock)	11,989.00	11,989.00
		Subtotal	11,989.00
		Sales Tax	
)		Freight	***
1			(10);;;q(d)

From:

Eduardo E. Ibarra

Sent:

Tuesday, September 20, 2016 9:38 AM

To:

Jose E. Gonzalez

Subject:

FW: PLEASE RE-QUOTE

Follow Up Flag:

Follow up

Flag Status:

Flagged

From: Edmundo Benavides [mailto:edmundo@npetex.com]

Sent: Tuesday, September 13, 2016 2:05 PM

To: Eduardo E. Ibarra

Subject: Re: PLEASE RE-QUOTE

New numbers are as followed:

6-8 weeks delivery

4 19

Nucces Power Equipment

Model: DT255-2EP Bumper hitch trailer \$13,684.50

Model: DT2552EGN GOOSE NECK \$15,182.00

Add \$250.00 per extra ft. On deck

Please allow 6-8 weeks for delivery

Quedo, a sus ordenes

Eddie Benavides Jr

On Sep 13, 2016, at 12:27 PM, Eduardo E. Ibarra < eibarra@webbcountytx.gov > wrote:

----Original Message----

From: Edmundo Benavides [mailto:edmundo@npetex.com]
Sent: Wednesday, July 01, 2015 1:11 PM

Eddie Benavides Jr

Nueces Power Equipment

Laredo, Texas 78041

Texas Pride Trailers

1241 Interstate 45 North Madisonville, TX 77864

Estimate

Date	Estimate #
9/21/2016	1548

Name / Address	
WEBB COUNTY	
Amanda Flores -Del Toro	

Project

		Т	
Description	Qty	Cost	Total
8x30+5, 20k, Goose Neck, Deck Over		8,595.00	8,595.00
MONSTER RAMPS		300.00	300.00
Cross Members-Pierced-Through-The Frame LOW PROFILE		500.00	500.00
Electric / Hydraulic Brakes		1,500.00	1,500.00
		2,005,00	
7x20, 14k, Tube Top, Bumper Pull. Equipment Hauler 6FT 6IN SLIDE IN RAMPS	2	3,995.00	7,990.00
or I oin SLIDE IN KAMPS			
alesman Dustin		Total	¢10,005,00
	1.		\$18,885.00

Customer Signature	

WORLDWIDE AUTOMATION INC

WEBB COUNTY (ACCOUNTS PAYABLE) 1110 WASHINGTON ST. - STE 201

920 SANTA MARIA AVE. AREDO, TX 78040

LAREDO, TX 78040

Voice: (956) 727-0441 Fax: (956) 723-6258

QUOTATION

Quote Number: 061316-06 Sep 13, 2016 Quote Date:

Page:

1

Cite (Open 10		Regretar (School Control	Sales Big
webbcounty	10/13/16	Net 30 Days	

2.00	1213646	20' BEAM DECKOVER TRAILER SQ TUBE RAILS 2 ELECTRIC BRAKES STRAIGHT DECK W/6.6' SLIDE-IN RAMPS	5,249.00	10,498.00
				-
			Subtotal Sales Tax	10,498.00
)			Freight	-6.400.00

From:

Eduardo E. Ibarra

ent:

Tuesday, September 20, 2016 9:38 AM

To:

Jose E. Gonzalez

Subject:

FW: PLEASE RE-QUOTE

Follow Up Flag:

Follow up

Flag Status:

Flagged

From: Edmundo Benavides [mailto:edmundo@npetex.com]

Sent: Tuesday, September 13, 2016 2:05 PM

To: Eduardo E. Ibarra

Subject: Re: PLEASE RE-QUOTE

New numbers are as followed:

6-8 weeks delivery

1-1-8-6-2 13.33

Nucces Power Equipment

Model: DT255-2EP Bumper hitch trailer

\$13,684.50

Model: DT2552EGN **GOOSE NECK** \$15,182.00

Add \$250.00 per extra ft. On deck

Please allow 6-8 weeks for delivery

Quedo, a sus ordenes

Eddie Benavides Jr

On Sep 13, 2016, at 12:27 PM, Eduardo E. Ibarra < eibarra@webbcountytx.gov > wrote:





Transwest Trailers Inc. 20660 East I-76 Frontage Road Brighton, CO 80603

with slope sheets

Steel Bottom Dump Trailer

Standard Specifications:

Length:

40'

Width:

96"

Hopper Opening:

54" x 108"

5th wheel:

Oscillating with 18" setting

Cylinders:

8" air cylinder with 60 gallon reservoir and water trap

(air gauge on tank)

Wheels:

Eight (8) 8.25 x 24.5 Steel Accuride 10 hole Disc

Tires:

Eight (8) 11R x 24.5 Duraturn DT-22

Axles:

25,000# 5" tubular 5/8" wall

Brakes:

16.5" x 7" brakes with 2S1M ABS (one axle)

Suspension:

H-9700 4-spring 48,000#

Fenders:

Front and Rear steel

Landing gear:

4" x 4" Drop leg with built in lift handle

Lights:

ICC, DOT Approved complete LED system Sherwin Williams Urethane primer and top coat

Paint: Color:

White

Tarp:

Mountain Flip & Go mesh tarp √ (Electric)

Push Block:

Fixed rear push with D.O.T. approved underide bumper

Note:

add Versa valve

Base Price

\$31,825.00

electric fary

Total Price for your Investment FOB Laredo, TX:

No Federal Excise Tax (F.E.T.) Included in this price

\$31,825.00

70: Rosio mon, Omanda

Jose E. Gonzalez

From:

Eduardo E. Ibarra

Sent:

Tuesday, September 20, 2016 9:35 AM

To:

Jose E. Gonzalez

Subject:

BELLY DUMP QUOTE

Attachments:

Updated AL Spring Ride.xlsx

Follow Up Flag:

Follow up

Flag Status:

Flagged

BH

From: Josh Nolker [mailto:josh.nolker@transwest.com]

Sent: Tuesday, September 13, 2016 3:36 PM

To: Eduardo E. Ibarra

Subject: Updated Price Quote

Eddie,

As per our conversation today I have attached a price quote for the bidding process. This is the same quote and number as the most recent quote that I sent you on April 25th.

This trailer is priced FOB Laredo, TX and would have a 4 work lead time.

If you have any questions please do not hesitate to call and ask.

Thank you and have a good day!

Josh Nolker

Inside Sales
Transwest Truck Trailer RV
Transwest Trailers LLC
303-301-7603 - Direct
720-394-3973 - Cell
josh.nolker@transwest.com
www.transwesttrailer.com



From:

Eduardo E. Ibarra

Sent:

Monday, October 03, 2016 4:13 PM

To:

Jose E. Gonzalez

Subject:

FW: (2) New 2017 CTS "Pack Mule" belly dumps

Attachments:

WebPage.pdf; ATT00001.htm

3%

Thank You,

Eduardo E. Ibarra

Webb County Road & Bridge Dept.

Warehouse Clerk

7210 E. Saunders

Laredo Tx. 78041

Ph. (956) 523-5313

Fax: (956) 721-2539

E-mail: eibarra@webbcountytx.gov

From: David Theisen [mailto:dtheisen@stsco.com]

Sent: Monday, October 03, 2016 4:07 PM

To: Eduardo E. Ibarra

Subject: (2) New 2017 CTS "Pack Mule" belly dumps

UPDATED Bid with delivery

From Superior Trailer Sales Company

Please accept the following bid for 2 new belly dumps as requested -

(2) New 2017 CTS "Pack Mule" 40' single gate belly dumps, tandem spring ride suspension Hutch-9700, 11 R 24.5 Radial tires, steel wheels, fenders front and rear, white paint, electric flip & go tarp.

Sale Price \$30,175.00 each No FET (I'm assuming you do not pay federal excise tax) delivered to your location in Laredo TX

We can arrange freight at an additional cost if need and if subject to FET add 12% to cost

Below is a brochure for the CTS "Pack Mule " dumps

Call

Thanks

TOTTE . . .



UTILITY TRAILER SALES SOUTHEAST TEXAS, IN

4320 Trade Center Blvd Laredo, TX 78045

FAX# 956-717-5310 PHONE # 956-717-5300

Quotation

November 3, 2015

WEBB COUNTY ROAD AND BRIDGE **LAREDO, TX 78041**

Att: Mr. Eduardo Ibarra

Subject: New Construction Trailer Specialists Bottom Dump

Two (2) New Construction Trailer Specialists Bottom Dump

Length: 40' ft.

Capacity: 23.5 Cubic yards

10" wooden "bang" boards painted black

No Slope sheets, front or rear

Lower hopper: 54" x 108"-single wall with 3/16" plate with 1/4" side walls. ASTM A-36

Upper hopper: complete upper hopper constructed from 10gal, CQA-569

Sides: 54" high, corrugated sides with double wall construction

Axles: Two (2) Rockwell 25,000# capacity

Suspension: Hutch, H-9700 (4) spring, 48,000# suspension

Tires: 11R x 24.5 radials

Wheels: 8.25 x 24.5 steel 10-hole disc. Brakes: ABS brakes 2S1M on one axle only -r Spac-

Brake drums: Outboard cast

Landing gear: Non-load bearing drop leg 4"x 4"square tube mounted on front doors

Fenders: Steel overstandem at rear Mud flaps: Heavy duty mounted on rear

DOT Lights Color: White

Tarp: Manual flip tarp, mesh.

Weight: 14,300 lbs. + or - 3%

er continue de de des 28

Price Each: \$ 34,950.00 Per Trailer

X2 \$ 69,900.00 Total

Price includes F.E.T F.O.B. Utility Laredo, Tx.

e axi

Lon o

Price does not include tax, title & license

Delivery: In stock, subject to prior sale.

OPTION:

42.53 1) For an electric flip tarp, mesh in lieu of manual: Add: \$250.00 Per Trailer

· Kingers.

logi, a

der,

eni.

18 F

33t /:

Water.

Sincerely,

Joe Dean Utility Trailer Sales S.E. Texas Inc.

12 345

N D S CARRE i arei

> . .

19 B

· Matte

> 130 (4) 1.46



Buy Board Item No. 89 Proposal No. 425-13

Date: April 15, 2016 LKQTN132-16 Quote:

Dealer: Sales Rep: Holt Truck Center Robert Mollica

Phone: E-Mail:

210-884-7026 robert.mollica@holtcat.com

Address:

7210 East Saunders Street Laredo, TX 78041

City: Phone:

956-523-5313

Customer: Webb County Road & Bridge Contact: Mr. Ibarra

E-Mail:

eibarra@webbcountytx.gov

Load King Model 2060-40-2

	Yea	ar Model: 2017					
	General			Suspension			
☐ Infinite Gate control (incl. remote plug & penda		\$955		Hub-o-meter			\$17
☑ Control center vandalism kit		\$165					\$19
Paint color match- 2 part polyurethane		\$1,090					-\$30
✓ LED Lights		\$510					\$4.57
Ŀ	LLD Lights	φοιο		Air lift (must add			\$1,78
	Gooseneck			Full width rear m			\$26
v	Front fenders	\$595		Loose push block extension			\$73
			\$395 Air cushion pintle hitch				\$1,72
Front fender extensions (must incl. front fenders)		4393			bing for future dolly		\$43
	Hannanantiana	0.00					\$1,56
	Hopper options	64.000	П	42 ft overall leng	เท		Φ1,50
	Gate seal kit	\$1,080		Other			
V	Lower hopper extensions	\$1,050		Other			00.50
	Manual Arm-style mesh tarp system	\$2,580					\$2,50
V	Power mesh tarp system	\$3,420					\$0
	Vinyl tarp ILO mesh	\$55					\$1
Approx	x. Delivery 11-13 weeks from order						
Freight	incl to Holt San Antonio				O 1 trailer	O 3-4 trailers	
	8					0.50	
					2 trailers	O 5-9 trailers	
State o	r local Taxes, or Licensing Fees unless otherwise stated.				○ 10+ trai	ers	
			4				
Quote	does not include labor to wire trucks for trailer operation				Trailer List Price:	\$50,162	
	3				Options List Price:	\$5,740	
					Total List Price:	\$55,902	
					Total Price per Trailer	\$50,088	
					Par mana	\$0	
				Tota	I Price For 2 Trailers	\$100,176	
	aws			100	a Thou For E Hunoro	\$100,110	
	no az ma <mark>lvile</mark> a szelleni						
-	a taro						
	2.me						
1 .	2.48° eArcheire seine deuts						
	Garage Company				(Dississing London Mines M	11-:4 V-II C D0	
Indica	te the Standard Color for this Order:	White		14 v	(Black; Load King vv	hite; Yellow; Gray, Red)	
						L.	
Accep	oted:			_	Date:	MAH.	
	•					X X I'm	
				-		\ . *Y	
Title:		1		_ P.C	D. number:		
		4		_			
Chin 4	a Address						
omp t	o Address:						
		4					
	2						
	§ 3,						

From:

Eduardo E. Ibarra

Sent:

Monday, September 26, 2016 12:09 PM

To:

Jose E. Gonzalez

Subject:

FW: Quote for 2 Load King bottom dumps

Attachments:

webbcounty.pdf

Follow Up Flag:

Follow up

Flag Status:

Flagged

4400, 2011

Thank You,

Eduardo E. Ibarra

Webb County Road & Bridge Dept.

Warehouse Clerk

7210 E. Saunders

Laredo Tx. 78041

Ph. (956) 523-5313

Fax: (956) 721-2539

E-mail: eibarra@webbcountytx.gov

From: Robert Mollica [mailto:Robert.Mollica@holtcat.com]

Sent: Friday, September 23, 2016 10:20 AM

To: Eduardo E. Ibarra

Subject: Quote for 2 Load King bottom dumps

Mr. Ibarra please call me if you need anything else.

My goal is to provide legendary customer service. Did I earn a 10 today? Please share your <u>feedback</u>.

gov

DE.

Robert Austin Mollica
On-Highway
Truck & Trailer Sales, 1,
5665 SE Loop 410

San Antonio, Texas 78222 Office: 210-444-8730 Cell: 210-884-7026 robert.mollica@holtcat.com





