

# INVESTMENT SCHEDULE



**PREPARED FOR**

## **WEBB COUNTY SHERIFF'S DEPARTMENT - 911 DISPATCH**

October 29, 2020

**PREPARED BY**

Christopher Yanes

[christopher.yanes@tbs.toshiba.com](mailto:christopher.yanes@tbs.toshiba.com)

**TOSHIBA**

## INVESTMENT SCHEDULE

### WEBB COUNTY SHERIFFS-LAREDO

#### New Toshiba Digital Solution

##### Model Details

- (1) Lexmark M5270 Monochrome Printer
  - Included Features: Return of Kyocera FS-4300DN to Lessor  
TEXAS DIR CONTRACT #DIR-CPO-4426

##### Service Details

Pool Name	Quarterly Cost Per Print
Mono Pool	\$0.00887

##### Total Monthly Investment

- Quarterly Lease Term (19 Payments) \$146.67 Quarterly

Quarterly Lease Term includes parts, labor, travel, and supplies everything except for paper

# TOSHIBA

## RELIABILITY. SECURITY. PERFORMANCE.

Large workgroups need maximum performance and the Lexmark M5270 delivers with a first page as fast as 4 seconds and output up to 70 pages per minute. A 4.3-inch e-Task touch screen supports productivity-enhancing apps while Ultra High Yield replacement toner and up to 4400 sheets of input keep things going for the long haul.



**LEXMARK** M5270

### FEATURES AT A GLANCE

- **Powerful 1-GHz dual-core processor and up to 5 GB of memory drives printing at up to 55 ppm**
- **Intuitive 4.3-inch color touch screen offers smooth, tablet-like interaction with customizable convenience and productivity apps**
- **Front access to the paper path and power button means you'll virtually never have to access the back of the device, allowing placement in or on cabinets**
- **Robust paper handling includes reliable feeding of a wide range of media types and sizes, up to 4400 sheets of input and optional finishing**
- **Long-life fuser and imaging components extend uptime**
- **Connect via Ethernet, USB, or simple mobile printing options**

### POPULAR OPTIONS

550-Sheet Tray
2100-Sheet Tray
Staple Finisher
Staple, hole punch Finisher
MarkNet WiFi Option
Hard Disk Drive
QWERTY Keyboard



 Lexmark™

**M5270**

Reliability. Security. Performance.



This is a Class A device according to international electromagnetic emissions standards (i.e. FCC Rules, EN 55022/EN 55032, etc.). Class A products are intended for use in non-residential/non-domestic environments. Use of a Class A product in residential/domestic environments may cause interference to radio communications and require corrective measures.

# Lexmark M5270

Large workgroups need maximum performance and the Lexmark M5270 delivers with a first page as fast as 4 seconds and output up to 70 pages per minute\*. A 4.3-inch/10.9-cm e-Task touch screen supports productivity-enhancing apps while Ultra High Yield replacement toner and up to 4400 sheets of input keep things going for the long haul.



## Get more done

- ▶ Powerful 1-GHz dual-core processor and up to 5 GB of memory drives printing at up to 70 ppm.\*
- ▶ Robust paper handling includes reliable feeding of a wide range of media types and sizes, up to 4400 sheets of standard input and optional finishing.
- ▶ Connect via Ethernet, USB, or simple mobile printing options.

## Interact with ease

- ▶ Intuitive 4.3-inch/10.9-cm color touch screen offers smooth, tablet-like interaction with customizable convenience and productivity apps.
- ▶ Front access to the paper path and power button means you'll virtually never have to access the back of the device, allowing placement in or on cabinets.
- ▶ Innovative serviceability features, starting with single-door access to parts and supplies, help you resolve problems quickly.

## Ready when you are

- ▶ Long-life fuser and imaging components extend uptime.
- ▶ Unison™ Toner replacement cartridges deliver up to 45,000 pages\*\* of high-quality printing.
- ▶ Steel frame and durable design stands up to heavy use and harsh environments.

## Full-spectrum security

- ▶ Lexmark's full-spectrum security architecture helps keep your information safe—in the document, on the device and over the network.
- ▶ Keypoint Intelligence - Buyers Lab honored Lexmark with a prestigious BLI PaceSetter award for Document Imaging Security\*\*\*.



## Built for planet earth


- ▶ Energy management features reduce power consumption in active use or sleep mode.
- ▶ Standard two-sided printing saves paper.
- ▶ Device is rated EPEAT® Silver and ENERGY STAR® certified.
- ▶ Recycle cartridges through the award-winning Lexmark Cartridge Collection Program (LCCP).

\*Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).

\*\*Average yield based on approximately 5% print coverage.

\*\*\*Award based on North America and/or Western Europe data

# Lexmark M5270



- 1 Printer with 4.3-inch (10.9 cm) e-Task color touch screen  
17.4 x 16.85 x 20.1 inches  
441 x 428 x 510 mm
- 2 100-sheet multipurpose feeder  
Dimensions included as part of base model
- 3 550-sheet tray  
Dimensions included as part of base model
- 4 550-sheet tray  
4.3 x 16.85 x 20.1 inches  
110 x 428 x 510 mm
- 5 2100-sheet tray  
13.8 x 16.85 x 20.1 inches  
350 x 428 x 510 mm
- 6 Caster base  
5 x 20.5 x 27.3 inches  
126 x 521 x 693 mm
- 7 Staple, hole punch finisher  
10.3 x 18.2 x 20.0 inches  
263 x 462 x 507 mm
- 8 Staple finisher  
9.7 x 17.1 x 16.3 inches  
246 x 435 x 414 mm
- 9 Output expander  
6.5 x 16.6 x 15.0 inches  
165 x 421 x 380 mm

- 10 4-Bin mailbox  
10.7 x 16.6 x 15.1 inches  
272 x 421 x 384 mm
- 11 High capacity output expander  
12.2 x 16.6 x 13.2 inches  
310 x 421 x 335 mm
- 12 250-sheet tray  
3.2 x 16.85 x 20.1 inches  
80 x 428 x 510 mm
- 13 550-sheet lockable tray  
4.3 x 16.85 x 20.1 inches  
110 x 428 x 510 mm
- 14 250-sheet lockable tray  
3.2 x 16.85 x 20.1 inches  
80 x 428 x 510 mm
- 15 Swivel cabinet  
10.4 x 18.7 x 23.6 inches  
263 x 476 x 600 mm
- 16 Adjustable printer stand  
23 x 23.5 x 23.5 inches  
584.2 x 596.9 x 596.9
- 17 Spacer to add additional height  
4.3 x 16.85 x 20.1 inches  
110 x 428 x 510 mm

- Standard
- Optional

- P/N**     **Hardware**
- 50G0740   Lexmark M5270
- P/N**     **Cartridges and supplies**
- 25B3074   Black Lexmark toner cartridge
- 58D0Z00   Imaging Unit
- 25A0013   3 staple cartridges
- P/N**     **Paper handling**
- 50G0800   250-sheet tray
- 50G0820   250-sheet lockable tray
- 50G0802   550-sheet-tray
- 50G0822   550-sheet lockable tray
- 50G0804   2100-sheet tray
- 50G0849   Staple, hole punch finisher
- 50G0850   Staple finisher
- 50G0851   Output expander
- 50G0852   4-Bin mailbox
- 50G0853   High capacity output expander
- P/N**     **Memory options**
- 57X9801   User flash
- 27X0400   SATA hard disk drive
- 57X0204   Memory expansion (4GB) DDR3
- P/N**     **Connectivity**
- 14F0100   RS-232C serial interface card
- 14F0000   Parallel 1284-B interface card
- 27X0142   MarkNet N8230 fiber ethernet 100BASE-FX(LC), 1000BASE-SX(LC)
- 27X6510   MarkNet N8370 802.11a/b/g/n/ac 2.4/5GHz wireless
- 1021231   10-Foot Parallel Printer Cable
- 1021294   2-Meter USB Printer Cable
- P/N**     **Furniture and accessories**
- 50G0855   Caster base
- 50G0854   Spacer
- 3073173   Swivel cabinet
- 40C2300   Adjustable printer stand
- P/N**     **User replaceable parts**
- 41X2352   Roller kit
- 41X2351   ADF maintenance kit
- 41X1108   Media pick roller (input tray)
- 41X1119   Tray separator (input tray)
- 41X1076   Transfer roller
- 41X1123   Multipurpose feeder pick roller

For fusers and fuser maintenance kits, contact your service provider.

For application solutions see <https://www.lexmark.com/epg>

Note 1: Supports up to 4 optional trays. For maximum paper input capacity, install 3 optional 550-sheet trays and one optional 2100-sheet tray. When a 2100-sheet tray is installed, it must be the bottom tray, and a caster base is required.

Note 2: Supports many output configurations, including: any combination of up to three output expanders and 4-bin mailboxes; OR staple finisher with 4-bin mailbox; OR staple finisher with output expander; OR output expander with high capacity output expander; OR the staple, hole punch finisher; OR any single output option by itself. When installing the optional stapler, it must always be on top. When installing the optional high capacity output expander, it must always be on the bottom.

Note 3: All measurements are shown as height x width x depth. For more information about supported configurations, refer to the Printer, Option and Stand Compatibility Guide at [http://www.lexmark.com/publications/furniture\\_safety/](http://www.lexmark.com/publications/furniture_safety/)

© 2018 Lexmark. All rights reserved.

Lexmark, the Lexmark logo and Unison are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. AirPrint® and the AirPrint Logo® are trademarks of Apple, Inc. ENERGY STAR® is a U.S. registered mark. Google Cloud Print™ is a trademark of Google, Inc. MOPRIA®, the Mopria® Logo™ and the Mopria® Alliance logos are trademarks, service marks, and certification marks of Mopria Alliance, Inc. in the United States and other countries. All other trademarks are the property of their respective owners.

This product includes software developed by the OpenSSL Project for use in the Open SSL Toolkit (<http://www.openssl.org/>).

## Product specifications

## Lexmark M5270

### Printing

Display	Lexmark e-Task 4.3-inch color touch screen
Print Speed: Up to <sup>6</sup>	Black: 70 ppm
Time to First Page: As fast as	Black: 4.0 seconds
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 300 x 300 dpi, 600 x 600 dpi
Memory / Processor	Standard: 1024 MB / Maximum: 5120 MB / Dual Core, 1000 MHz
Hard Disk	Option available
Recommended Monthly Page Volume <sup>2</sup>	5000 - 100000 pages
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	350000 pages per month

### Supplies<sup>7</sup>

Laser Cartridge Yields (up to) <sup>1</sup>	45,000-page Extra High Yield Cartridge
Imaging Unit Estimated Yield: Up to	150000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product <sup>1</sup>	11,000-page Starter Return Program Toner Cartridge

### Paper Handling

Included Paper Handling	550-Sheet Input, 100-Sheet Multipurpose Feeder, 550-Sheet Output Bin, Integrated Duplex
Optional Paper Handling	250-Sheet Tray, 550-Sheet Tray, 2100-Sheet Tray, 250-Sheet Lockable Tray, 550-Sheet Lockable Tray, 4-Bin Mailbox, Staple Finisher, Staple Punch Finisher, High Capacity Output Expander, Output Expander
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4400 pages 20 lb or 75 gsm bond
Paper Output Capacity: Up to	Standard: 550 pages 20 lb or 75 gsm bond / Maximum: 2550 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6

### General Information<sup>4</sup>

Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A)
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel
Noise Level: Operating	Print: 58 dBA
Specified Operating Environment	Humidity: 8 to 80% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2896 Meters (9,500 Feet)
Limited Warranty - See Statement of Limited Warranty	1-Year Advanced Exchange, Next Business Day
Size (in. - H x W x D) / Weight (lb.)	17.4 x 16.85 x 20.1 in. / 56.4 lb.

All information in this brochure is subject to change without notice. Lexmark is not liable for any errors or omissions.

**This is a Class A device according to international electromagnetic emissions standards (i.e. FCC Rules, EN 55022/EN 55032, etc.). Class A products are intended for use in non-residential/non-domestic environments. Use of a Class A product in residential/domestic environments may cause interference to radio communications and require corrective measures.**

<sup>1</sup>Average standard page yield value declared in accordance with ISO/IEC 19752. <sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>5</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>6</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>7</sup>Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/regions](http://www.lexmark.com/regions) for more details.

**TOSHIBA**

# EMPOWERING THE ART OF BUSINESS®



**At Toshiba, we are focused on helping businesses better control their productivity and profitability by delivering innovative imaging products and content solutions.**

## **TOSHIBA AMERICA BUSINESS SOLUTIONS, INC. (TABS)**

is an independent operating company of Toshiba Corporation, one of the largest integrated electronics and electrical equipment companies in the world with more than 140,000 employees globally and annual sales surpassing \$37 billion. TABS is a leading managed print and content solutions provider with experts that help organizations print smarter, improve workflow and communicate better.

Our current and future commitment is to continue to improve and enhance the functionality and capabilities of our digital imaging products and content solutions. Toshiba invests more than 6% of its annual revenue to Research & Development, and deploys a network of R&D centers around the world. In an average year, Toshiba Corporation is awarded more than 5,000 patents, many of which find their way either directly or indirectly into our multifunction office solutions products.

### **OUR MISSION**

As a technology company, we go way beyond printing. We are a creative and nimble organization that empowers our people to do whatever it takes to help our clients succeed.

### **OUR VISION**

Empowering new and better ways to deliver ideas and information.





# TOSHIBA

## TOSHIBA SERVICE



**Toshiba is recognized as a service leader, as evidenced by numerous industry awards and an outstanding performance record.**

When a Toshiba system needs service clients can rest assured our number one priority is to minimize any inconvenience and downtime. Respond, Respect, Resolve is our team mantra from our client service centers located across the country to our factory-trained certified technicians. We have proven the effectiveness of our service model on thousands of contracts where we provide equipment services and fleet optimization. Toshiba has various levels of service to meet client needs, and with Toshiba's eBridge Cloud Connect tool we can often detect and remotely fix an issue before clients even notice, reducing their burden and increasing uptime.

### **Toshiba service includes:**

- **Client Service Call centers with Toshiba Business Solutions marketplaces to receive calls directly from clients and then dispatch service technician if site visits are required.**
- **Local service teams within each TBS market.**
  - Technicians assigned to territories closest to their homes
  - Professionally trained teams with average tenure of 15 years
- **Call-ahead notification from responding technician so you'll know when to expect us.**
- **Local parts warehouses.**
  - Individual technician car stock on most popular replacement parts to ensure maximum uptime
  - Direct ship of needed parts to a technician's home
- **Preventative Maintenance to ensure systems are always running at optimum levels. This includes identifying potential problems and correcting them before they occur.**
- **Escalation management process that is clearly defined to resolve poor performance issues quickly, efficiently, and to your complete satisfaction.**