



**CONTRACT PRICING WORKSHEET**  
For MOTOR VEHICLES Only

Contract No.:

HT06-20

Date Prepared:

4/7/2021

**This Worksheet is prepared by Contractor and given to End User. If a PO is issued, both documents MUST be faxed to H-GAC @ 713-993-4548. Therefore please type or print legibly.**

Buying Agency:	WEBB COUNTY	Contractor:	SANTEX TRUCK CENTERS, LTD
Contact Person:	Cesar Guerra	Prepared By:	CARLOS WEEBER
Phone:	956-523-4133	Phone:	713-674-3444
Fax:		Fax:	
Email:	ceguerra@webbcountytexas.gov	Email:	cweeber@kyrishtrucks.com

Product Code:	20F20	Description:	2022 LT625 6x4 INTERNATIONAL TRACTOR
---------------	-------	--------------	--------------------------------------

**A. Product Item Base Unit Price Per Contractor's H-GAC Contract:** 99248

**B. Published Options - Itemize below - Attach additional sheet(s) if necessary - Include Option Code in description if applicable.**

(Note: Published Options are options which were submitted and priced in Contractor's bid.)

Description	Cost	Description	Cost
01MBS FRONT BUMPER STAINLESS HIGH CLRNCE	1060	013GHS TRANS MANUAL 10-SPD FRO-16210	482
02AEZ AXLE, FRONT DANA 14K	797	014GBY AXLE REAR TANDEM DANA 40K	435
03ADD SUSPENSION FRONT TAPER LEAF	478	015EAC FUEL TANKS 2 NONPOLISH AL 160 GAL TOT	1057
07BEU AFTERTREATMENT COVER ALUMINUM	526	027DWK WHEELS FRONT STND POLISH ALUM	722
07BLW EXH SYSTEM HORIZ. WITH VERTICAL TAILPIPE	1210	028DWK WHEELS REAR STND POLISH ALUM	2492
08GGG ALTERNATORO DELCO REMY 165 AMP	340		
08XJH FOG LIGHTS 2 CLEAR LENS	275	WET LINE KIT NAVISTAR SPECIALTY CTR 108467	5654
009505 QUARTER FENDERS STAINLESS STEEL	318		
		<b>Subtotal From Additional Sheet(s):</b>	
		<b>Subtotal B:</b>	15846

**C. Unpublished Options - Itemize below / attach additional sheet(s) if necessary.**

(Note: Unpublished options are items which were not submitted and priced in Contractor's bid.)

Description	Cost	Description	Cost
NON PUBLISHED OPTIONS	10		
		<b>Subtotal From Additional Sheet(s):</b>	
		<b>Subtotal C:</b>	10

<b>Check:</b> Total cost of Unpublished Options (C) cannot exceed 25% of the total of the Base Unit Price plus Published Options (A+B).	<b>For this transaction the percentage is:</b>	0%
---	--	----

**D. Total Cost Before Any Applicable Trade-In / Other Allowances / Discounts (A+B+C)**

Quantity Ordered:	1	X Subtotal of A + B + C:	115104	=	<b>Subtotal D:</b>	115104
-------------------	---	--------------------------	--------	---	--------------------	--------

<b>E. H-GAC Order Processing Charge (Amount Per Current Policy)</b>	<b>Subtotal E:</b>	600
---	--------------------	-----

**F. Trade-Ins / Special Discounts / Other Allowances / Freight / Installation / Miscellaneous Charges**

Description	Cost	Description	Cost
		<b>Subtotal F:</b>	0

<b>Delivery Date:</b>	<b>G. Total Purchase Price (D+E+F):</b>	115704
-----------------------	---	--------

**Santex Truck Center, LTD**  
**dba Kyrish Truck Centers**  
 8900 North Loop East  
 Houston, TX 77029

Phone -713-674-3444 Fax - 713-673-4416

CUSTOMER NUMBER	STATE	COUNTY	DATE	4212021
	TX		4/21/2021	
PO #				QUOTE NUMBER
ATTN: CESAR GUERRA				
SALESMAN: Carlos Weeber				

**SOLD TO** WEBB COUNTY  
**ADDRESS** 1110 WASHINGTON ST. SUITE 101  
**CITY STATE** LAREDO, TX 78045

CONTROL NUMBER	QTY	DESCRIPTION (YEAR, MAKE, MODEL, ETC.)	TOTAL PRICE
<b>QUOTE</b>			
1		2021 BRENNER 6,500 gallon WATER TANKER WITH SPRAY fob LAREDO, TX MODEL SFGD650010SS	\$ 67,215.00
		KYRISH TRUCK FEE	\$ 3,255.00
		FET TX STATE SALES TAX TX STATE PLATE DOC FEE VIT TERP D O T INSPECTION TITLE FEE	
		<b>TOTAL DUE</b>	<b>\$ 70,470.00</b>

Received above listed vehicles in good condition.

\_\_\_\_\_ Customer Signature

\_\_\_\_\_ Date

Mileage when received: \_\_\_\_\_ EXEMPT

(This is requested for warranty start date.)

450 Arlington Avenue  
 Fond du Lac, WI 54935  
 Toll Free: 800-558-9750  
 Fax: 920-922-3303  
<https://www.WabashNational.com>



Proposal For: SEMO TANK / BAKER EQUIPMENT  
 Proposal #: 8149826R01  
 Order #: ()  
 Proposal Date: 4/21/2021 Page: 1 of 12

**:: Customer Information**

<b>Name:</b> SEMO TANK / BAKER EQUIPMENT		<b>Contact:</b> Danny Winschel	
<b>Address:</b> 456 SEMO LANE		<b>E-Mail:</b> <a href="mailto:Dwinschel@semotank.com">Dwinschel@semotank.com</a>	
<b>City:</b> PERRYVILLE	<b>State:</b> MO	<b>ZIP Code:</b> 63775	
<b>Phone:</b> 573-547-8348	<b>Fax:</b>	<b>Mobile:</b>	
<b>Customer PO #:</b>		<b>Customer Unit #:</b>	

**:: Tank Description**

Food Grade Transport, Exposed Ring, 96" OAW			
<b>Build Brand:</b>	Brenner.	<b>Build Location:</b>	Fond du Lac, Wi.
<b>Capacity:</b>	6500 Gallons Nominal	<b>Compartments:</b>	1-CPT
<b>Gal. (F to R):</b>	(6500)	<b>Profile:</b>	straight round
<b>Code / Spec:</b>	Non-Code	<b>Product(s):</b>	Water
<b>Prod. Wt. / US Gal.:</b>	12 Pound Max	<b>Int. MAWP:</b>	Atmospheric
<b>Est. Weight:</b>	0	<b>External Pressure:</b>	Atmospheric
<b>GCWR:</b>	80,000 Pounds	<b>Max Loading Temp.:</b>	190° F Max
<b>WD Jurisdiction:</b>	Federal bridge law.	<b>Operating Service:</b>	Standard on-road service.
<b>Model #:</b>	SFGD650010SS		

**:: Vessel**

<b>1. Shell Material:</b>	0.102" Manuf. T304LSS-2B finish.
<b>2. Head Material:</b>	0.130" Manuf. T304LSS-2B finish, butt welded, deep dished.
<b>3. Internal Weld Finish:</b>	W-2 Snagproof.
<b>4. External Weld Finish:</b>	W-2 Snagproof with blasted rings.
<b>5. Baffles:</b>	None.
<b>6. Manhole:</b>	(1) Girard GP19800 20" full opening 6-lug, located near center of tank and hinged to front.
<b>7. Manhole Gasket:</b>	Buna N (Nitrile).
<b>8. Bolsters:</b>	Stainless Steel.
<b>9. Longmembers:</b>	Stainless Steel 1/4" upper 5th wheel longmembers, 7 Ga. landing leg & running gear longmembers.
<b>10. Cleanouts:</b>	None.
<b>11. Rings:</b>	SS, continuously weld rings per DOT requirements.
<b>12. Heat:</b>	None.
<b>13. Insulation:</b>	None.
<b>14. Underlayment:</b>	None.
<b>15. Jacket:</b>	None.
<b>16. Jacket Heads:</b>	None.

**:: Outlet**

<b>1. Outlet Gaskets:</b>	1.) White Nitrile gaskets on all flanged connections. 2.) White PTFE gaskets on all ferrule connections.
---------------------------	---

450 Arlington Avenue  
 Fond du Lac, WI 54935  
 Toll Free: 800-558-9750  
 Fax: 920-922-3303  
<https://www.WabashNational.com>



Proposal For: SEMO TANK / BAKER EQUIPMENT  
 Proposal #: 8149826R01  
 Order #: ()  
 Proposal Date: 4/21/2021 Page: 2 of 12

2. Seals:	Provisions for seals on all inlets and outlets that are intended to open and close regularly. Plastic coated cables on all inlet and outlet caps.
3. Sump:	(1) 4" SS outlet pipe with 4" ANSI flange at bottom of rear head. (4-bolt pattern)
4. Piping:	None.
5. Outlet Valve:	(1) 4" Butterfly valve with Aluminum body, SS disk and stem, white Nitrile seat and handle operator.
6. Outlet Fittings:	(1) 4" ANSI slip-on flange to hold outlet valve in place.
7. Pump Off Line:	None.
8. Outlet Cabinet:	None.
9. Pump Package:	Provide 1" supply and 1" return SS hydraulic lines from rear cabinet to front of trailer on curbside. Front end of hydraulic lines capped for customer supplied and installed fittings.
10. Pump Platform:	Install SS pump platform at rear of trailer between frame rails for future customer installed pump.

**:: Venting**

1. Pressure Relief:	(1) Olson vent in manhole cover with dust hood.
2. Vacuum Relief:	Included with vent.

**:: Chassis**

1. Kingpin Plate:	OEM bolt-on 4" increments, 2" adjustments.
2. Landing Gear:	Jost A400 (limited 5-year Jost warranty) 2-speed with sand shoes, curbside crank, SS frame.
3. Suspension Type:	Tandem axle, 49" axle spread, ABS-ready axles and hubs.
4. Suspension Make / Model:	(2) Hendrickson Intraax AANT suspensions, 23K rating axles.
4a. Shock Absorbers:	Standard service front mounted shocks.
4b. Frame Brackets:	Carbon steel, weld-on hangers.
4c. Lift Axle Mechanism:	Not applicable.
4d. Axle & Frame Width:	71 1/2" track axle on a 38" wide, 1/4" thick stainless steel frame.
4e. Spindle Type:	P-Style (parallel spindles with same inner and outer bearings).
4f. Wheel-End Options:	Undressed axles/suspensions. Wheel-end components installed as specified below.
a. Brake Chambers:	30-30 spring brake chambers.
b. Slack Adjusters:	Automatic slack adjusters.
c. Brake Lining:	16.5"x7" HXS (Extended Life) included with suspension.
d. Drums / Rotors:	Cast, outboard mounted.
e. Dust Shields:	No.
f. Hubs:	10 Stud, hub piloted, ABS ready.
g. Bearings:	OEM standard.
h. Spindle Seal:	OEM standard.
i. Spindle Nuts:	OEM standard.
j. Hub Cap:	OEM standard.
k. Hub Lubrication:	Gear oil, SAE 80W90.
5. Air Reservoirs:	Aluminum air tank system meeting FMVSS 121 requirements.
6. Service Brake Valve:	Meritor Wabco RSS Plus roll stability 4S/2M anti-lock brake system with in-cab warning light feature and amber warning light near the front face of the left rear fender.
7. Air-Ride Piping & Dump Valve:	Air-ride piping with automatic dump valve.
7a. Lift Axle Control:	Not applicable.
7b. Scale Kit:	None.

450 Arlington Avenue  
 Fond du Lac, WI 54935  
 Toll Free: 800-558-9750  
 Fax: 920-922-3303  
<https://www.WabashNational.com>



Proposal For: SEMO TANK / BAKER EQUIPMENT  
 Proposal #: 8149826R01  
 Order #: ()  
 Proposal Date: 4/21/2021 Page: 3 of 12

8. Tire Inflation System:	None.
9. Hubodometer:	None.
10. Wheel Finish:	(8) 10-hole, hub piloted, Accu-Lite, aluminum disk, standard polish (SP).
10a. Wheel PN:	Inside WHL: ACRD: 42644SP / WHL-568   Outside WHL: ACRD: 42644SP / WHL-568
11. Tire Brand:	Cooper, Roadmaster RM120, 14-ply, radial.
12. Tire Size / PSI Setting:	11R22.5.   100 PSI
13. Tire & Wheel Source:	Tires and wheels supplied by OEM.
14. Tire Carrier:	None.
15. Fenders:	Aluminum contour front and rear with SS braces.
15a. Fender Width:	Front and rear fenders mounted at 96" OAW.
16. Mud Flaps:	(2) Pair OEM brand plastic anti-sail.
17. Bumper:	(1) 4" X 4" SS square tube, 88" wide, per DOT NHTSA rules.
18. Paint:	Carbon steel parts primed and painted black.

**:: Electrical**

1. Nose Box:	7 Way A.T.A. connector mounted to front crossmember.
2. Wiring:	Plug-in style harness.
3. Lights:	12-Volt LED mounted with grommets.
4. Marker and ABS Light Configuration:	Marker lights in SS brackets include: (2) amber lights located on the front outside corner of the front fenders, (2) amber side marker lights tied into turn signals, (3) red lights located on the top of the rear head, (1) amber ABS light located on front roadside fender brace and (1) license plate lamp with license plate mounting bolts located at rear of trailer.
5. Tail Light Mounting:	SS boxes bolted to the running gear frame.
6. Tail Light Functions:	(2) red tail lights per box (outside signal light & inside brake light) and (1) rear corner marker light on the end of the box.
7. Additional-Turn Light	None.
8. Other Additional Lights:	None.
9. Ground Receptacle:	None.

**:: Accessories**

1. Spilldam:	Low profile SS around manhole with sloped floor and (1) 1½" drain hose on curbside.
2. Ladder Position:	(1) ladder mounted on curbside.
3. Ladder Detail:	18" wide SS ladder with dimpled channel rungs, platform type top step, and grab handles at top each side. Located at spilldam to walkway.
4. Ladder Side Hand Rails:	No.
5. Walkway Around Spilldam:	12" wide on ladder side only of spilldam.
6. Walkway on top of tank:	None.
7. Walkway Material:	Aluminum diamond type.
8. Hose Carrier Type:	None.
9. Hose Tube Doors:	None.
10. Hose Carrier Position:	None.
11. Utility Cabinet:	None.
12. Conspicuity Tape:	2" wide retro-reflective tape in accordance with US DOT NHTSA rules.
13. Certificate Holder:	(1) Betts PS-1 mounted curbside on landing gear frame.
14. Thermometer:	None.
15. Data Plates:	Data plates to be stamped in U.S. gallons and lbs.

**:: Other**

1. Calibration:	Paper chart, theoretical computer printout in 1/4" increments.
2. Customer Decals:	None.
3. Unit Number Decals:	None.

450 Arlington Avenue  
 Fond du Lac, WI 54935  
 Toll Free: 800-558-9750  
 Fax: 920-922-3303  
<https://www.WabashNational.com>




Proposal For: SEMO TANK / BAKER EQUIPMENT  
 Proposal #: 8149826R01  
 Order #: ()  
 Proposal Date: 4/21/2021 Page: 4 of 12

<b>4. Transport Canada Registration:</b>	This proposal does not include certification to Transport Canada regulation (TC406, TC407, or TC412). Such efforts, if required, will result in additional charges, and possibly delayed delivery.  Cargo tank motor vehicles manufactured (completed) in Canada must be constructed in compliance with CSA B620 Standards. While US DOT specification cargo tanks manufactured and certified as complete in the US can be used in Canada, a US DOT cargo tank cannot be manufactured (completed) and used in Canada. Wabash Tank Trailers assumes no responsibility for the importation of vehicles into Canada that are ordered with equipment shortages which do not allow the cargo tank motor vehicle to be fully certified to US DOT specifications. There is no guarantee that any vehicle deemed admissible into Canada can be successfully modified to meet Canadian, CSA B620 requirements.
<b>5. Warranty Period:</b>	3-Year.
<b>6. Vapor Test:</b>	Certification to E.P.A. Method 27 is not provided by OEM.
<b>7. Drawings:</b>	None.
<b>8. Sale Subject To FET:</b>	No.

**: : Customer Supplied Parts**  
 None.


**: : Tractor Information**


Make:	
Model:	
*W.B.:	205"
C.A.:	100"
B.A.:	28"
A.F.	
Required S.A. (If Fixed):	
*Fifth Wheel Height:	50"
*Axle Weight Rear:	8,600 Pounds
*Axle Weight Front:	9,400 Pounds
*Lift Axle Location (If Applicable):	
*Required Information:	



Please mark one box.  Use standard tractor data listed above.  Use other tractor data listed below.

Make:	
Model:	
*W.B.:	
C.A.:	
B.A.:	
A.F.	
Required S.A. (If Fixed):	
*Fifth Wheel Height:	
*Axle Weight Rear:	
*Axle Weight Front:	
*Lift Axle Location (If Applicable):	
*Required Information:	



 <b>INTERNATIONAL</b> <small>A NAVISTAR COMPANY</small>	<b>Truck Specialty Center (TSC)</b>	QUOTE #	108467	VERSION	A
		DEALER #	775544	MODEL	LT SERIES
		LOCATION	000	AXLE CONFIG	6x4
		DEALER NAME	TX TRK CNTRS OF HOUS LTD	BODY LENGTH	
 <b>Custom Bus Center (CBC)</b> <small>A NAVISTAR COMPANY</small>	<b>Custom Bus Center (CBC)</b>	CUSTOMER	Webb County	WHEEL BASE	
		CONTACT	Carlos Weeber	QUANTITY	1
		EMAIL	cweeber@kyrishtrucks.com	BUILD DATE	
		OFFICE PHONE	713-674-3444	VALID UNTIL	6/21/2021
SERVICE_LOCATION	TBD	SALE REGION	226	PO NUMBER	
VERSION_NOTES					
ORDER	QUOTE				
JOB	QUOTE				
<b>LINE</b>	<b>SID</b>	<b>MODIFICATION DESCRIPTION</b>			<b>COST/UNIT</b>
1	6662	Wet Kit for Water Tanker Trailer			\$5,639.00
<p>Furnish and install wet line kit water tanker trailer application.</p> <p>Includes:</p> <p>Muncie TG8BU6807A3KX PTO (for Eaton Fuller FRO-162102 10 speed transmission)  PTO ratio set to operate at a 1500 engine RPM  PTO to be mounted on bottom of transmission.  Muncie PK11502BSBB pump  Pressure setting in PSI to be confirmed by dealer  Flow rate in GPM to be confirmed by dealer  2 line kit is requested (pressure and return)  Pressure hose to be 3/4"  Return hose to be 1"  50 gallon aluminum saddle mount hydraulic tank with painted steel straps.  Includes special hose end fittings for connecting hoses to the trailer. Fittings to be customer supplied. Hose lengths must be specified.  Hydraulic Fluid</p> <p>** Requires:  13XAA for PTO control  13XAR for PTO location (bottom)  16WLM for cluster PTO light and hourmeter.</p>					
2	1	Misc			\$15.00
Misc. Handling per unit					
QUOTED BY:	Adrian J Tedder	APPROVED NAME:		Total Per Unit - Currency USD:	\$5,654.00
QUOTED DATE:	4/21/2021	SIGNATURE:			
PHONE:	+1(972) 670-6425	DATE:			
MODIFIED DATE:	4/21/2021	ORDERS TO BE WORKED UNDER THIS QUOTE:			
STATUS:	Sent				
QID:	8467				
<p>* Note: This price is not subject to SPA. In order for TSC/CBC to order parts and schedule work per this quote, Signed off copy of this quote or a dealer PO is needed with order/job numbers of the units to be worked.</p> <p style="text-align: center;"><b>Please send Signed off copy or dealer PO to <a href="mailto:Adrian.Tedder@Navistar.com">Adrian.Tedder@Navistar.com</a></b></p> <p>If customer supplied parts or materials are provided on this quote, the parts or materials are required to be delivered to the TSC/CBC 10 days prior to build date. Parts and materials tracking information will be required. If parts or materials do not arrive within 10 days of the truck being received by the TSC/CBC, a storage fee of \$20.00 per day, per unit will be incurred. All take-off parts become property of TSC/CBC unless other arrangements are made.</p> <p style="text-align: center;"><b>Thank you for considering us for this opportunity.</b></p>					