



# Customer Quotation.

<b>Ship To:</b> LOS BOTINES FIRE STATION  126 SAN JUAN RD LAREDO, TX 78045-0000 US Shipper Account:	<b>Information</b> Grainger Quote Number      2050945096 Print Date                      05/18/2022 Customer Account              833775133 Department Number Contact Name                    JOSE LOPEZ Contact Phone                  9565234125 Contact Fax Contact Email                  joel@webbcountytx.gov Customer PO Customer Job Name  Omnia Region 4 # R192002
---	---

**eQuote Information:**  
 Quote 2050945096 has been delivered to Grainger websites and Jose Lopez has been notified via email that the quote is available for on-line purchasing.

**Comments:** One or more items may be non-cancelable /non-returnable. Please see item notes below.  
 GRAINGER AS DISTRIBUTOR. Client acknowledges and agrees that W.W. Grainger, Inc. ("Grainger") will serve as an authorized distributor of GENERAC POWER SYSTEMS, INC for the services described herein. In that capacity, Grainger will perform in accordance with underlying LOS BOTINES FIRE STATION/Grainger contract terms and conditions as modified by any additional agreed upon GENERAC POWER SYSTEMS, INC terms and conditions applicable to this sourced service proposal, and will ensure GENERAC POWER SYSTEMS, INC performance is equally as compliant with agreed upon sourced service proposal terms and conditions. Client acknowledges and agrees that Grainger, as the distributor of this sourced service, will not perform any of the services described herein, including, but not limited to, any work on site, supervision, inspection, coordination, scheduling, project management or other task normally provided by a provider of such services.  
 One or more items may be non-cancelable /non-returnable. Please see item notes below.

Line	Description	MFG Part No	Lead Time Bus.days	Qty.	Unit	Quote Price	Extended Price
10	GENERAC 50KW GENERATOR INCLUDING TRANSFER SWITCH, SETUP, AND SHIPPING Mfr Brand Name GENERAC Customer Part No.: Carrier: 32383 - XPO CONNECT Cost expiration date: 06/17/2022 Taxable: NO Notes: Product is Non-Cancelable/Non-Returnable. WAUKESHA-PEARCE INDUSTRIES QUOTE# 042622-001 VA	SD0050AG174. 5D18HPYY3	160	1	EA	37,662.50	37,662.50
20		OPTION	160	1	EA	1,965.00	1,965.00

Thank You!

National Contact Center  
 1150 W Grove Parkway, Suite 101  
 Tempe AZ 85283



# Customer Quotation.

## Information

Grainger Quote Number	2050945096
Print Date	05/18/2022
Customer Account	833775133
Page	2 / 2

OPTIONAL ADDER: 2-HOUR 50KW LOAD  
BANK

Mfr Brand Name GENERAC

Customer Part No.:

Carrier: 32383 - XPO CONNECT

Cost expiration date: 06/17/2022

Taxable: NO

Notes: Product is Non-Cancelable/Non-Returnable.

WAUKESHA-PEARCE INDUSTRIES QUOTE# 042622-001 VA

Total Sell Price in USD 39,627.50

This is not an invoice. Changes to product or quantities may result in different pricing. Availability and lead times are subject to change and can be confirmed at order placement. Additional lead time may apply for AK and HI. Unless otherwise stated, these items are sold for domestic consumption in the United States. If exported, purchaser assumes full responsibility for compliance with U. S. export control. Contact Sales Rep. or Grainger branch listed below for questions, order placement or to submit a new request. RETURN POLICY: Sourced Product is subject to the manufacturer's return policy and may not be returnable. Please contact Grainger at Customer Care at 1-800-GRAINGER (472-4643) to verify whether your Sourced Product item(s) can be returned. A restocking fee and other charges may apply. Returned Sourced Product must be in new/unused and in original packaging. Customer is responsible for return shipping costs for Sourced Products. No cancellations, refunds or credits are allowed for items marked in Sourced Product quotations or invoices as "Non-Cancellable" or "Non-Returnable".

Thank You!

National Contact Center  
1150 W Grove Parkway, Suite 101  
Tempe AZ 85283

800-Grainger  
www.grainger.com

Page 2 / 2

## **LOS BOTINES 50kW**

**Quantity 1 - Generac Industrial diesel engine-driven generator set with turbocharged 4-cylinder 4.5L engine, consisting of the following features and accessories:**

- Stationary Emergency-Standby rated
- 50 kW Rating, wired for 120/240 VAC single phase, 60 Hz
- Permanent Magnet Excitation
- Standard Weather Protective Enclosure, Steel
  - Industrial Grey Baked-On Powder Coat Finish
- UL2200
- EPA Certified
- H-100 Control Panel
  - Meets NFPA 99 and 110 requirements
  - Temp Range -40 to 70 degrees C
  - Digital Microprocessor:
    - Two 4-line x 20 displays, full system status
    - 3 Phase sensing, +/-0.25% digital voltage regulation
    - RS232, RS485 and Canbus remote ports
    - Waterproof connections
    - All engine sensors are 4-20ma for minimal interference
    - Programmable I/O
    - Built-in PLC for special applications
  - Engine function monitoring and control:
    - Full range standby operation; programmable auto crank, Emergency Stop, Auto-Off-Manual switch
    - Isochronous Governor, +/-0.25% frequency regulation
    - Full system status on all AC output and engine function parameters
    - Service reminders, trending, fault history (alarm log)
    - I2T function for full generator protection
    - Selectable low-speed exercise
  - 2-wire start controls for any 2-wire transfer switch
- 21 Light Annunciator - Surface
- Remote Emergency Stop Switch, Surface-Mount, shipped loose
- 110 AH, 925 CCA Group 31 Battery, with rack, installed
- Battery Charger, 10 Amp, NFPA 110 compliant, installed
- Coolant Heater, 1500W, 120VAC
- 24" 132 Gallon Double-Wall UL142 Basetank
  - Mechanical fuel level indicator gauge
  - Electronic fuel level sender
  - Emergency Vent
- 3 Owner's Manuals
- 120V GFCI and 240V Outlet
- Alternator Strip Heater
- Flush Mount Annunciator Kit

- Sales Tax is NOT Included.
- All Fuel to be provided by others.
- Startup/commissioning must be done within 1 year of factory shipment.
- Responsibility of freight claims to be done by others.
- Jobsite Offloading/Setting is to be done by others.
- Installation & External Wiring is to be done by others.
- Assumes that all work will be done during Normal Business Hours (M-F 8-5)
- Manufacturers' standard literature available upon request.