


Prepared For:

Webb County
 Cesar Guerra
 1110 Washington St. Ste. 101
 Laredo, TX 78040-4466
 (956)523 - 4000
 Reference ID: N/A

Presented By:

TX TRK CNTRS OF HOUS LTD
 Carlos Weeber
 8900 NORTH LOOP EAST
 HOUSTON TX 77029 -
 (713)674-3444

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2024 LT625 6x4 (LT62F)

APPLICATION:	General Freight Regional Haul (DayCab)
MISSION:	Requested GCWR: 80000. Calc. GCWR: 140000. Calc. GVWR: 54000 Calc. Start / Grade Ability: 18.87% / 1.39% @ 65 MPH Calc. Geared Speed: 79.6 MPH
DIMENSION:	Wheelbase: 187.00, CA: 112.40, Axle to Frame: 53.00
ENGINE, DIESEL:	{Cummins X15 500} Efficiency Series, EPA 2021, 500HP @ 1700 RPM, 1650 lb-ft Torque @ 950 RPM, 1700 RPM Governed Speed, 503 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller FRO-16210C} 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump
CLUTCH:	{Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Damper, 2"-10 Tooth Spline, Mechanical Pull Type Control, 4-Button Disc, 1700 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Dana Spicer E-1462I} I-Beam Type, 14,000-lb Capacity
AXLE, REAR, TANDEM:	{Dana Spicer AdvanTEK D40-156} Single Reduction, 40,000-lb Capacity, 9mm Wall Housing Thickness, R Wheel Ends Gear Ratio: 3.70
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R24.5 Load Range H HSR2 (CONTINENTAL), 476 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R24.5 Load Range H HDR2+ (CONTINENTAL), 468 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, AIR, TANDEM:	{International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers
PAINT:	Cab schematic 100HX Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
LT62F00	Base Chassis, Model LT625 6x4 with 187.00 Wheelbase, 112.40 CA, and 53.00 Axle to Frame.	\$267,532.00
1570	TOW HOOK, FRONT (2) Frame Mounted	\$148.00
1616	FRAME RAILS WITH TAPERED REAR	\$0.00
1CBW	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 466.5" (11850mm) Maximum OAL	\$359.00
1MBS	BUMPER, FRONT Contoured, Aluminum, Stainless Steel Clad, with Black Plastic Filler Panels, Less Valance Panel for Increased Ground Clearance	\$1,060.00
1WKK	WHEELBASE RANGE 187" (475cm) Through and Including 219" (555cm)	\$1,166.00
2AEZ	AXLE, FRONT NON-DRIVING {Dana Spicer E-1462I} I-Beam Type, 14,000-lb Capacity	\$732.00
3ADD	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers	\$288.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free	
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : BRAKE PRESSURE INDICATOR Low Air Pressure Warning Light and Audible Alarm : DRAIN VALVE Manually Operated (On Wet Tank Only) : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HAND CONTROL VALVE, AIR with Self Return Handle, for Trailer Brakes, Mounted in Instrument Panel : HOSE TENDER Back of Cab Mounted : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : TRACTOR PROTECTION VALVE	
	<u>Notes</u> : Front and Rear Dust Shields not Included : Rear Axle is Limited to 40,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered	
4809	HOSE TENDER Slide Bar with Double Spring Bracket, Bar Extended 4" from Cab	\$153.00
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control	\$0.00
4EDJ	AIR DRYER {Bendix AD-IS} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Integrated PuraGuard Coalescing Filtration	\$0.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	\$0.00
	<u>Includes</u> : BRAKE CHAMBERS, POSITION (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, POSITION (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater	
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	\$0.00
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	\$38.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	\$116.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	\$0.00
4VHW	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail	\$0.00
4WXR	DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks	\$70.00
4WZE	TRAILER HOSES AND CABLES {Phillips} Straight, 3 IN 1, Rubber Hose 15' Working Length, Aluminum Glad Hands with Rubber Seals and Hand Holds, Lighting Cable with Zinc Die Cast Plug	\$67.00
4XDG	BRAKES, REAR {Meritor 16.5X8.625 Q-PLUS LW} Air S-Cam Type, Fabricated Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 8.625", 20,000-lb Capacity per Axle	(\$2,648.00)
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity	(\$1,268.00)
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	\$0.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
5PRV	STEERING GEAR {TRW (Ross) THP60} Power	\$156.00
5WAJ	POWER STEERING OIL COOLER Remote Mounted	\$0.00
6DGX	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	\$0.00
7BEU	AFTERTREATMENT COVER Aluminum	\$526.00
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$1,210.00
7SAP	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	\$0.00
7WAZ	TAIL PIPE (1) Turnback Type	\$64.00
7WDM	EXHAUST HEIGHT 10'	\$0.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	\$56.00
	<u>Includes</u> : NOTE: This feature momentarily inhibits after treatment regeneration. This feature is primarily intended for bulk carriers during loading and unloading operations.	
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever	

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
	: HORN, ELECTRIC Single	
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
	: POWER SOURCE Cigar Type Receptacle with Cap, USB Port, Located in Instrument Panel	
	: STARTER SWITCH Electric, Key Operated	
	: TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature	
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted	
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever	
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
	: WIRING, CHASSIS Color Coded and Continuously Numbered	
8541	HORN, ELECTRIC (2) Disc Style	\$29.00
8GGG	ALTERNATOR {Delco Remy 36SI} Brushless, 12 Volt, 165 Amp Capacity, Pad Mount, with Remote Sense	\$340.00
8NBH	BATTERY SYSTEM {JCI} Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud	\$132.00
8RMW	SPEAKERS (2) 6.5" Coax Mounted in Doors, (2) 5.25" Coax Mounted in B-Pillars	\$68.00
8RNB	CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, One Antenna and Antenna Base with Wiring on Left Side Mirror	\$202.00
8RPU	RADIO AM/FM/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input	\$0.00
8THB	BACK-UP ALARM Electric, 102 dBA	\$120.00
8TPP	STOP, TURN, TAIL & B/U LIGHTS Multi-Function Lamp, with LED Lights for Stop, Turn, Tail and Backup Lights, Includes LED License Plate Light	\$0.00
8TUT	COLLISION MITIGATION SYSTEM Omit	(\$3,576.00)
8WAA	LIGHT, WORK {Truck Lite 81 Series} LED, Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	\$148.00
8WBW	JUMP START STUD Remote Mounted	\$168.00
	<u>Includes</u>	
	: JUMP START STUD Mounted to Battery Box	
8WGU	BATTERY BOX COVER Aluminum	\$646.00
8WJV	BATTERY DISCONNECT SWITCH {Joseph Pollak} for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted	\$217.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$0.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$0.00
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened	\$42.00
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
8XHK	BATTERY BOX Aluminum, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab	\$358.00
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$0.00
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel	\$38.00
8XHX	SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel	\$0.00
8XJH	FOG LIGHTS (2) Clear Lens, LED, Rectangular, with White Light Source	\$275.00
8XMB	CONNECTOR, DASH, CENTER PANEL Cab Wiring for TMC RP1226 Vehicle Accessory Connector; Includes 14-pin Connector with Switched Power, Battery Power, Ignition Power, Ground & Body 250K Datalink, Connector Located Behind Instrument Panel Center Console	\$0.00
8XPA	HEADLIGHTS LED, with Daytime Running Lights, Automatic Twilight Controlled	\$0.00
9505	QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted	\$318.00
9AAB	LOGOS EXTERIOR Model Badges	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	\$0.00
9HAD	GRILLE Chrome	\$0.00
9WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction	\$0.00
	<u>Includes</u> : BUG SCREEN Front End; Mounted Behind Grille : HOOD TILT ASSIST Includes Torsion Bar Spring System	
9WBN	FENDER EXTENSIONS Painted	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "HX"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10AEU	INTELLIGENT FLEET CARE Telematics Device with Over the Air Programming; Includes Five Year Data Plan, Advanced Preventive Maintenance, Fleet Health Monitor Reporting and International 360	\$0.00
10GYJ	FIFTH WHEEL, AIR SLIDE {Holland FW35A824XL00} 24" Slide, 7.7" Above Top of Frame, Left Hand Release	\$889.00
10WCY	SAFETY TRIANGLES	\$47.00
10WPT	MUD FLAP HOLDER Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps	\$38.00
10WPY	MUD FLAPS, REAR Black Rubber, Anti-Sail, Less Holders	\$94.00
11MRP	CLUTCH {Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Damper, 2"-10 Tooth Spline, Mechanical Pull Type Control, 4-Button Disc, 1700 lb-ft Torque Capacity	\$21.00
11WAK	CLUTCH EFFECTS Hydraulic Clutch Actuation System, with Air Assist	\$132.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
12EPZ	ENGINE, DIESEL {Cummins X15 500} Efficiency Series, EPA 2021, 500HP @ 1700 RPM, 1650 lb-ft Torque @ 950 RPM, 1700 RPM Governed Speed, 503 Peak HP (Max)	\$9,663.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	\$368.00
12VBZ	AIR CLEANER Dual Element, Engine Mounted	\$108.00
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
12VHZ	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2022	\$0.00
12WBR	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	\$77.00
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$0.00
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	\$0.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	\$0.00
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler	\$0.00
12XBE	CRUISE CONTROL Predictive, Includes GPS Enhanced Cruise Control; Includes Module, Antenna and Wiring	\$0.00
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	\$0.00
13GHS	TRANSMISSION, MANUAL {Fuller FRO-16210C} 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump	(\$7,502.00)
13WAS	CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions	\$0.00
13WGJ	OIL COOLER MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)	\$0.00
13WLW	TRANSMISSION OIL {EmGard 40W} Synthetic; 1 thru 21.99 Pints	\$0.00
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	\$116.00
13XAR	PTO LOCATION Customer Intends to Install PTO at Bottom of Transmission	\$0.00
14862	PDL WARNING BUZZER Power Divider Lock	\$50.00
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	\$163.00
14GYB	AXLE, REAR, TANDEM {Dana Spicer AdvanTEK D40-156} Single Reduction, 40,000-lb Capacity, 9mm Wall Housing Thickness, R Wheel Ends . Gear Ratio: 3.70	\$435.00
	<u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light	
14UPZ	SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers	\$0.00
14WMH	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 40 thru 49.99 Pints	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
15EAC	FUEL TANK (2) Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab/Under Sleeper	\$1,145.00
15LKZ	FUEL/WATER SEPARATOR {Davco Fuel Pro 382} Includes Water-in-Fuel Sensor <u>Includes</u> : LOCATION FUEL/WATER SEPARATOR Mounted Left Rail in Wheel Well	\$70.00
15MAD	FUEL HEATER {Cummins} Omit Plumbing for TRV on Cummins Engines	\$0.00
15WDM	DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Back of Cab/Under Sleeper	\$0.00
16030	CAB Conventional, Day Cab <u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : READING LIGHT, CAB Located in Overhead Console : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door	\$0.00
16564	HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	\$69.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster <u>Includes</u> : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps	\$0.00
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	(\$488.00)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	\$0.00
16HGG	GAUGE, OIL TEMP, ENGINE	\$54.00
16HGN	GAUGE, AIR APPLICATION	\$77.00
16HKC	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster	\$76.00
16HKE	GAUGE, LOAD INDICATING REAR Text Message in Cluster Display, for use with Rear Air Suspension	\$128.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
16KAN	SEAT, DRIVER {National 2000 Model 195} Air Suspension, High Back, with Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3-14 Degree Back Recline	\$128.00
16REM	SEAT, PASSENGER {National 2000} Non Suspension, High Back, Mordura Cloth, 2 Arm Rests 11 Degree Back Angle	\$233.00
16SNS	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width	\$0.00
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"	
16SSB	MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Breakaway, Black	\$218.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	\$0.00
	<u>Includes</u> : DOOR TRIM, INTERIOR Black Handle : INSTRUMENT PANEL TRIM Black, Black Gauges with Black Bezels : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap	
16VLV	MONITOR, TIRE PRESSURE Omit	(\$988.00)
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
16WLM	HOURMETER, PTO for Customer Provided PTO; with Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch	\$138.00
16WSE	LOW WASHER FLUID INDICATOR	\$37.00
16XCM	CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open	\$16.00
16XJP	INSTRUMENT PANEL Wing Panel	\$0.00
16XTM	ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$185.00
16XWV	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral LED Clearance/Marker Lights	\$348.00
27DWK	WHEELS, FRONT {Accuride 42362} DISC; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	\$161.00
28DWK	WHEELS, REAR {Accuride 42362} DUAL DISC; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	\$196.00
29CAJ	WHEEL COVER, REAR Omit	(\$418.00)
35864	PAINT FENDER EXTENSIONS Single Color; Same as Number One Cab Schematic Color	\$89.00
7384225415	(2) TIRE, FRONT 11R24.5 Load Range H HSR2 (CONTINENTAL), 476 rev/mile, 75 MPH, All-Position	\$58.00
7384225444	(8) TIRE, REAR 11R24.5 Load Range H HDR2+ (CONTINENTAL), 468 rev/mile, 75 MPH, Drive	\$1,696.00
810000	FIFTH WHEEL LOCATION On Rear Axle Centerline	\$0.00
	Total of Product Features	\$277,277.00

Services Section:

<u>Code</u>	<u>Description</u>	<u>List</u>
40125	WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A	(US DOLLAR) \$0.00
	Total of Service Features	\$0.00
	Total List Price Including Options:	\$277,277.00
<u>Body/Allied Equipment Code</u>	<u>Description</u>	<u>List</u>
<u>Goods Purchased Code</u>	<u>Description</u>	<u>List</u>
	Material Surcharge	\$1,750.00
	Total Goods Purchased:	\$1,750.00

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$277,277.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$277,277.00
Total Goods Purchased:		\$1,750.00
Fire Extinguisher	\$70.00	
WET LINE KIT, QUOTE 114661	\$5,949.00	
Total Preparation And Delivery:		\$6,019.00
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$288,146.00
Less Customer Allowance:		(\$153,600.00)
Total Vehicle Price:		\$134,546.00
Total Sale Price:		\$134,546.00
Total Per Vehicle Sales Price:		\$134,546.00
Net Sales Price:		\$134,546.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.