

1133 Broadway, San Antonio 78215

www.officesourceltd.com 210.212.7742

WEBB COUNTY

Sheriffs Office Shelving Specifications

February 14, 2023

ACCOUNT MANAGER: JC Fiorino 210-212-7742 jc@o-ltd.net

Approved By:	 Date:
Approved By:	Date:

65" UPRIGHTS, 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM

2-TIER RIFLE AND GUN STORAGE-

1 TIER SLATWALL AND SIX RIFLE GUNRACK KIT:198 TOTAL

1 TIER AMMO/GUN STORAGE UNSLOTTED SHELVES **TOTAL STORAGE LFI: 380**

7 TIER GUN AND AMMO STORAGE

4 TIER ROLLOUT DRAWERS TOTAL LFI: 1,408 3 TIER UNLSOTTED SHELVES TOTAL LFI:1,142

ADA RAMP CARPETING DECKING


> 800 LB. CAPACITY PER SHELF EVENLY DISTRIBUTED 65" UPRIGHTS, 5 TIER UNSLOTTED HD SHELVING MISC. STORAGE 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM **TOTAL STORAGE LFI:2,077**

65" UPRIGHTS, 6 TIER 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM

2 TIER END TAB FILING TOTAL LFI:1,800

2 TIER ROLLOUT DRAWER HANGING FILE STORAGE TOTAL STORAGE LFI: 1,664 2 TIER ROLLOUT DRAWER AMMO GUN STORAGE TOTAL STORAGE LFI: 1,664

3 DIVIDERS PER SHELF




Signature Required: By signing this drawing, the authorized dealer, rep or customer has confirmed all room dimensions, doonway sizes, column location and outside dimensions, ceiling heights and obstructions. This signed drawing must be submitted with purchase


1066 changed from ET filing to 18 GA unIsotted shelving rearranged wardobe bar units to the top.added rooms 1016 and 1121. 1070 Added two CSII desks1074 removed all wire shelving replaced with steel cabinets


PROJECT NAME: Webb County PROJECT NUMBER: 1328228B

DATE: 2/8/2023

C1331. Revise entire room with Tw bench and 4 Post shelving.







The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 10" between shelfing equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the

BY: Mick Flood


ELEVATION VIEW

PROJECT NUMBER: 1328228B
PROJECT NAME: Webb County

DATE: 2/8/2023

SAFCO

18.000 MIN CLEARANCE TO SPRINKLERS




RM 10186 5" UPRIGHTS, 5-TIER 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM ELEVATION VIEW

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments, A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

PROJECT NUMBER: 1328228B	BY: Mick Flood
DATE: 2/8/2023	
SAFCO	

PROJECT NAME: Webb County

U



The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the


BY: Mick Flood PROJECT NUMBER: 1328228B DATE: 2/8/2023


RM 1018 65" UPRIGHTS, 6-TIER 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM


ELEVATION VIEW


PROJECT NAME: Webb County


SAFCO












RM 1024 65" UPRIGHTS, 5-TIER HD 4-POST EXACT SHELVING ELEVATION VIEW

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

DATE: 2/8/2023



RM 1024 65" UPRIGHTS, 2 & 7-TIER
4-POST EXACT SHELVING
ELEVATION VIEW

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

BY: Mick Flood

SAF
PROJECT NUMBER: 1328228B DATE: 2/8/2023

PROJECT NAME: Webb County


4-POST EXACT SHELVING
65" UPRIGHTS, 5-TIER
MISC. STORAGE
UNSLOTTED SHELVES
500 LB. CAPACITY PER SHELF
EVENLY DISTRIBUTED
TOTAL STORAGE LFI: 2,098

ENTITIES WILL NEED TO BE VERIFIED PRIOR TO ORDERING.

NOTE: ROOM DIMENSIONS, LOCATION OF LIGHT SWITCHES, OUTLETS, AND OTHER ELECTRICAL

TECHWORKS BENCHLINE
BUTCHER BLOCK WORKSURFACE

CSII WORKSPACE LINE 6830STBL QUOTED NOT SHOWN



81

87

INSTALLATION STAFF: PLEASE FOLLOW
INSTALLATION NOTES BELOW, FOR INSTALLATION
OF SHELF
REINFORCEMENTS WHEN CAPACITY IS 500
POUNDS.

- * FOR EACH 48" WIDE SHELF, PLEASE INSTALL 3 SHELF REINFORCEMENTS, EVENLY SPACED, LEFT TO RIGHT WIDTH OF SHELF.
- * FOR SHELVES 30" DEEP OR MORE, PLEASE INSTALL 3 SHELF REINFORCEMENTS, EVENLY SPACED, LEFT
 TO RIGHT WIDTH OF SHELF.
- * FOR A SHELF 42" WIDE OR LESS, PLEASE INSTALL 2 SHELF REINFORGEMENTS, EVENLY SPACED.

78,000

NOTE: SAFCO MOBILE 1000 SYSTEMS ARE BEST INSTALLED ON SOLID FLOORING LIKE CONCRETE OR CONCRETE W/ VCT TILE. REMOVAL OF CARPET IS STRONGLY RECOMMENDED. INSTALLATION ON CARPET SHOULD ONLY BE CONSIDERED IF UNPADDED AND LOW PROFILE.

288.000

76.530

Authorized Signature Date

Date


Signature Required: By signing this drawing, the authorized dealer, reporcustomer has confirmed all room dimensions, doorway sizes, column location and outside dimensions.

ceiling heights and obstructions. This signed drawing must be submitted with purchase order and $\underline{\rm all}$ finish options.

Rev. Notes - REVB 02/06/23 MPF Removed nine gun gun rok kit 1018 Removed 4 Post. 1024 remove 18in. deep HD sheking along walls replace with 36in. deep. 1025 added 4 post and TW bench 1031 evidence remove half of 4 post HD sheking against was Shrunk than 4000 system in half, 1031B removed an emove half of 14 post HD sheking against was Clarunk the MA 1000 system in half, 1031B removed an emove half of 14 post HD sheking against was Clarunk the MA 1000 system in half, 1031B removed and the sheking replaced with steel cabinets. 1070 Added two CSI desks1074 removed all wire sheking replaced with steel cabinets. 1086 changed from ET filing to 18 GA unisotted sheking rearranged wardobe bar units to the top added rooms 10f8 and 1121.


Post. BY: Mick Flood
against wal.
CSII to one PROJECT NUMBER: 1328228B DATE: 2/8/2023

PROJECT NAME: Webb County



PROJECT NAME: Webb County

PROJECT NUMBER: 1328228B DATE: 2/8/2023




PROJECT NAME: Webb County

PROJECT NUMBER: 1328228B

BY: Mick Flood

DATE: 2/8/2023

SAFCO



The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

PROJECT NAME: Webb County

PROJECT NUMBER: 1328228B

DATE: 2/8/2023

SAFCO

16

BY: Mick Flood

65" UPRIGHTS, 5-TIER 4-POST EXACT SHELVING ELEVATION VIEW


4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM 65" UPRIGHTS, 5-TIER 18 GA UNSLOTTED SHELVING MISC. STORAGE 500 LB. CAPACITY EVENLY DISTRIBUTED

65" UPRIGHTS, 5-TIER
18 GA UNSLOTTED SHELVING
MISC. STORAGE
800 LB. CAPACITY
EVENLY DISTRIBUTED
TOTAL LFI:10,2,031

4-POST EXACT HEAVY DUTY SHELVING ON FLOOR

TECHWORKS TECHNICAL WORK BENCH LINE HPL WORK SURFACES

6827BL QUOTED NOT SHOWN



Signature Required: By signing this drawing, the authorized dealer, rep or customer has confirmed all room dimensions, doonway sizes, column location and outside dimensions, ceiling heights and obstructions. This signed drawing must be submitted with purchase

Rev. Notes - REV B 02/06/23 MPF Removed nine gun gun rok kit. 1018 Removed 4 Post. 1024 remove 18n. deep. HD shelving along walls replace with 36n. deep. 1025 added 4 post and Tw bench 1031 evidence remove half of 4 post HD shelving against wall Shrunk the MA 1000 system in half. 1031B removed mailroom furniture and changed CSII to one C1331. Revise entire room with Tw bench and 4 Post shelving. 1070 Added two CSII deski074 removed all wire shelving rebaced with steel cabinets. 1066 changed from ET filing to 18 GA unisotted shelving rearranged wardobe bar

PROJECT NUMBER: 1328228B
PROJECT NAME: Webb County

DATE: 2/8/2023


SAFCO


BY: Mick Flood


units to the top.added rooms 1016 and 1121

Authorized Signature

CARPET SHOULD ONLY BE CONSIDERED IF UNPADDED AND LOW PROFILE.








RM 1031 65" UPRIGHTS, 5-TIER HD 4-POST EXACT SHELVING ELEVATION VIEW

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and celling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

BY: Mick Flood

PROJECT NUMBER: 1328228B DATE: 2/8/2023

PROJECT NAME: Webb County



The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the

BY: Mick Flood

RM 1031 65" UPRIGHTS, 5-TIER 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM

ELEVATION VIEW


PROJECT NUMBER: 1328228B
PROJECT NAME: Webb County


DATE: 2/8/2023

SAFCO

<u>N</u>

municipality of installation for code requirements.





TECHWORKS BENCHLINE ELEVATION VIEW

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

BY: Mick Flood
PROJECT NUMBER: 1328228B DATE: 2/8/2023
PROJECT NAME: Webb County


Authorized Signature Signature Required: By signing this drawing, the authorized dealer, rep or custon confirmed all room dimensions, doorway sizes, column location and outside dime ceiling heights and obstructions. The signature assures confirmation of the above information prior to ordering. 6830BL QUOTED NOT SHOWN CSII WORKSPACE LINE NOTE: ROOM DIMENSIONS, LOCATION OF LIGHT SWITCHES, OUTLETS, AND OTHER ELECTRICAL ENTITIES WILL NEED TO BE VERIFIED PRIOR TO ORDERING. **4** 30.000 **►** 1031B STORAGE Rev. Notes - REVB 02/06/23 MPF Removed nine gun gun rok kit 1018 Removed 4 Post. 1024 remove 18n. deep HD shelving along walls replace with 36n. deep. 1024 bost and TW bench 1031 evidence remove half of 4 deep. 1025 added 4 post and TW bench 1031 evidence remove half of 4 post HD shelving against wall Shrunk the MA 1000 system in half 1031B removed mailroom furniture and changed CSII to one 101331. Revise entire room with Tw bench and 4 Post shelving. 1070 Added two CSI desks1074 removed all wire shelving replaced with steel cabinets. 1066 changed from ET filing to 18 GA unisotted shelving rearranged wardobe bar units to the top added rooms 1016 and 1121. PROJECT NUMBER: 1328228B BY: Mick Flood PROJECT NAME: Webb County 9 DATE: 2/8/2023

SAFCO

HPL WORK SURFACES TECHWORKS TECHNICAL WORK BENCH LINE

6827BL QUOTED

500 LB. CAPACITY 65" UPRIGHTS, 5 TIER EVENLY DISTRIBUTED 18 GA UNSLOTTED SHELVES MISC. STORAGE 4-POST EXACT SHELVING ON FLOOR



INSTALLATION STAFF: PLEASE FOLLOW INSTALLATION NOTES BELOW, FOR INSTALLATION OF SHELF REINFORCEMENTS WHEN CAPACITY IS 500 POUNDS.

- * FOR EACH 48" WIDE SHELF, PLEASE INSTALL 3 SHELF REINFORCEMENTS, EVENLY SPACED, LEFT
- TO RIGHT WIDTH OF SHELF. * FOR SHELVES 30" DEEP OR MORE, PLEASE INSTALL 3 SHELF REINFORCEMENTS, EVENLY SPACED, LEFT TO RIGHT WIDTH OF SHELF
- * FOR A SHELF 42" WIDE OR LESS, PLEASE INSTALL 2 SHELF REINFORCEMENTS, EVENLY SPACED.

Authorized Signature Date

1070 Added two CSI desks1074 removed all wire shelving replaced with steel cabinets. 1066 changed from ET filing to 18 GA unstoctled shelving rearranged wardobe bar units to the top.added rooms 1016 and 1121.

Rev. Notes - REV B 02/06/23 MPF Removed nine gun gun rok kit. 1018 Removed 4 Post. 1024 remove 18n. deep. HD shelving along walls replace with 36n. deep. 1025 added 4 post and TW bench. 1031 evidence remove half of 4 post HD shelving against wall Shrunk the MA 1000 system in half. 1031B removed maliroom furniture and changed CSII to one C1331. Revise entire room with Tw bench and 4 Post shelving. BY: Mick Flood


PROJECT NUMBER: 1328228B DATE: 2/8/2023

PROJECT NAME: Webb County

SAFCO

η Σ

Signature Required: By signing this drawing, the authorized dealer, rep or customer has confirmed all room dimensions, doorway sizes, column location and outside dimensions, ceiling heights and obstructions. This signed drawing must be submitted with purchase order and all finish options.



3 @ 12.750 2 @ 11.250 18.000 MIN. CLEARANCE TO SPRINKLERS 65.280

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.


BY: Mick Flood

PROJECT NUMBER: 1328228B DATE: 2/8/2023

PROJECT NAME: Webb County


RM 1038 65" UPRIGHTS, 5-TIER 4-POST EXACT SHELVING ON FLOOR


ELEVATION VIEW



PROJECT NAME: Webb County

Ω Ω





9.500 1 @ 36.000 RM 1038 65" UPRIGHTS, 3-TIER 4-POST EXACT SHELVING 18.000 MIN. CLEARANCE TO SPRINKLERS 71.823+/_ LEVELING **ELEVATION VIEW** ON FLOOR


The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 10" between shelking equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the

BY: Mick Flood

PROJECT NUMBER: 1328228B
PROJECT NAME: Webb County

DATE: 2/8/2023

SAFCO



65" UPRIGHTS, 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM

TOTAL LFI:11,218 _ETTER-END TAB FILING

CARPETING DECKING

ADA RAMP

65" UPRIGHTS, 4 POST ON FLOOR

UNSLOTTED SHELVES

MISC. STORAGE


TOTAL STORAGE LFI:519

NOTE: SAFCO MOBILE 1000 SYSTEMS ARE BEST INSTALLED ON SOLID FLOORING LIKE CONCRETE OR CONCRETE W/ VCT TILE. REMOVAL OF CARPET IS $\underline{\text{STRONGLY}}$ RECOMMENDED. INSTALLATION ON CARPET SHOULD ONLY BE CONSIDERED IF UNPADDED AND LOW PROFILE.

ENTITIES WILL NEED TO BE VERIFIED PRIOR TO ORDERING.

NOTE: ROOM DIMENSIONS, LOCATION OF LIGHT SWITCHES, OUTLETS, AND OTHER ELECTRICAL


NOT SHOWN CSII WORKSPACE LINE68302TBL QUOTED





Signature Required: By signing this drawing, the authorized dealer, epor customer has confirmed all room dimensions, doonway sizes, column location and outside dimensions, ceiling heights and obstructions. This signed drawing must be submitted with purchase

PROJECT NAME: Webb County

ω







The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the

BY: Mick Flood

RM 1070 65" UPRIGHTS, 6-TIER 4-POST EXACT SHELVING ON MOBILE AISLE 1000 SYSTEM

ELEVATION VIEW


PROJECT NUMBER: 1328228B
PROJECT NAME: Webb County

DATE: 2/8/2023

SAFCO

36

municipality of installation for code requirements.




The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

RM 1070 65" UPRIGHTS, 5-TIER
4-POST EXACT SHELVING
ELEVATION VIEW

PROJECT NAME: Webb County

MOBILE AISLE 1000 SYSTEM - TRACK PLACEMENT

PREFERRED INSTALLATION IS ON SOLID FLOORING - CONCRETE/TILE TRACK LEVELERS ALLOW FOR A MAXIMUM 3/4" ADJUSTMENT DIMENSIONS SHOWN ARE CENTER-TO-CENTER



BY: Mick Flood

PROJECT NUMBER: 1328228B
PROJECT NAME: Webb County

DATE: 2/8/2023

SAFCO


₩ ₩

TECHWORKS TECHNICAL WORK BENCH LINE


HPL WORK SURFACES

SAFCO STEEL CABINET

NOTE: ROOM DIMENSIONS, LOCATION OF LIGHT SWITCHES, OUTLETS, AND OTHER ELECTRICAL ENTITIES WILL NEED TO BE VERIFIED PRIOR TO ORDERING.



PROJECT NAME: Webb County




BY: Mick Flood

PROJECT NUMBER: 1328228B

PROJECT NAME: Webb County

DATE: 2/8/2023

SAFCO




BY: Mick Flood

PROJECT NUMBER: 1328228B

PROJECT NAME: Webb County

3228B DATE: 2/8/2023

SAFCO




RM 1074
TECHWORKS BENCHLINE
ELEVATION VIEW

The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

BY: Mick Flood
PROJECT NUMBER: 1328228B DATE: 2/8/2023

PROJECT NAME: Webb County

SAFCO



RM 1074 STEEL STORAGE CABINET ELEVATION VIEW


The overall equipment height specified does not include system leveling. A minimum 3" clearance is required between product and ceiling/obstructions. This allows for leveling adjustments. A minimum of 18" between shelving equipment and sprinkler heads is required when sprinkler systems are installed. It is the customer's responsibility to check with the municipality of installation for code requirements.

PROJECT NUMBER: 1328228B	BY: Mick Flood
DATE: 2/8/2023	

PROJECT NAME: Webb County


SAFCO

<u>4</u>3



44.815 48.000 INDUSTRIAL SAFCO WIRE SHELVING 24.000 36.000 4.123

NOTE: ROOM DIMENSIONS, LOCATION OF LIGHT SWITCHES, OUTLETS, AND OTHER ELECTRICAL ENTITIES WILL NEED TO BE VERIFIED PRIOR TO ORDERING.



Authorized Signature

Signature Required: By signing this drawing, the authorized dealer, rep or custom confirmed all room differencies, doorway sizes, column location and outside dim ceiling heights and obstructions. The signature assures confirmation of the above information prior to ordering.

1070 Added two CSI deskist074 removed all wire shelving replaced with steel cabinets. 1066 changed from ET filing to 18 GA. unisotted shelving rearranged wardobe bar units to the top.added rooms 1016 and 1121. Hev. Notes - HEV B 02/06/23 MIPF Hemoved nine gun gun rick kit. 1018 Hemoved 4 Post. 1024 removel 18in, deep HD sheking along walls replace with 36in, deep. 1026 acded 4 post and TW bench.1031 evidence remove half of 4 post HD sheking against wal. Shrunk the MA 1000 system in half. 1031B removed malifoom funiture and changed CSI to one C1331. Flevise entire room with Tw bench and 4 Post sheking.

PROJECT NUMBER: 1328228B

PROJECT NAME: Webb County

BY: Mick Flood

DATE: 2/8/2023


SAFCO

4 U

6827BL QUOTED HPL WORK SURFACES TECHWORKS BENCH LINE

ENTITIES WILL NEED TO BE VERIFIED PRIOR TO ORDERING.

NOTE: ROOM DIMENSIONS, LOCATION OF LIGHT SWITCHES, OUTLETS, AND OTHER ELECTRICAL



NOTE: SAFCO IS NOT RESPONSIBLE FOR ELECTRICAL INSTALLATIONS THAT VIOLATE LOCAL CODE. IT IS RECOMMENDED THAT AN ELECTRICIAN VERIFIES ALL PLANS AND COMPLETES INSTALLATION OF ELECTRICAL COMPONENTS.

Hev. Notes - HeV B 02/06/23 MPF Hemoved nine gun gun rok kit. 1018 Hemoved 4 Post. 1024 remove 18in, deep HD sheking along walls replace with 36in, deep. 1024 bench 1039 evidence remove half of 4 post HD sheking against wall. Shrunk the MA 1000 system in half.1031B removed maliroom furniture and changed CSI to one C1331. Fevise entire room with Tw bench and 4 Post sheking.

BY: Mick Flood

PROJECT NUMBER: 1328228B

DATE: 2/8/2023

SAFCO

information prior to ordering. Signature Hequired: By signing this drawing, the authorized dealer, ap or customer to confirmed all round dimensions, doorway sizes, column location and outside dimension ceiling heights and obstructions. The signature assures confirmation of the above Authorized Signature

Date

1070 Added two CSI deskist074 removed all wire shelving replaced with steel cabinets. 1066 changed from ET filing to 18 GA units otted shelving rearranged wardobe bar units to the top-added rooms 10/16 and 11/21.

PROJECT NAME: Webb County